Taylor & Francis
Taylor & Francis Group

Index of Authors (with the titles of papers), volume 27 (2006)

ADHYA, T. K., *see* Manjunath, K. R.
AGÜERA, F., AGUILAR, M. A. and AGUILAR, F. J.: Detecting greenhouse changes from QuickBird imagery on the Mediterranean coast, 4751
AGAM, N., *see* Ben-Ze'ev, E.
AGAM, N., *see* Karnieli, A.
AGARWAL, V. K., *see* Varma, A. K.
AGUILAR, F. J., *see* Agüera, F.
AGUILAR, M. A., *see* Agüera, F.
AHN, Y. H., SHANMUGAM, P. and MOON, J. E.: Retrieval of ocean colour from high resolution multi-spectral imagery for monitoring highly dynamic ocean features, 367
AKBARI, M., MAMANPOUSH, A. R., GIESKE, A., MIRANZADEH, M., TORABI, M. and SALEMI, H. R.: Crop and land cover classification in Iran using Landsat 7 imagery, 4117
AL JASSAR, H. K., *see* Rao, K. S.
AL JASSAR, H. K., RAO, K. S. and SABBAH, I.: A model for the retrieval and monitoring of soil moisture over desert area of Kuwait, 329
AL-JASSAR, H. K., *see* Rao, K. S.
ALBERT, P., *see* Li, Z.
ALBRECHTOVÁ, J., *see* Malenovský, Z.
ALHAMAD, M. N., *see* Alrababah, M. A.
ALI, M. M., *see* Jena, B.
ALMEIDA, T. I. R., DE SOUZA FILHO, C. R. and ROSSETTO, R.: ASTER and Landsat ETM+ images applied to sugarcane yield forecast, 4057
ALRABABAH, M. A. and ALHAMAD, M. N.: Land use/cover classification of arid and semi-arid Mediterranean landscapes using Landsat ETM, 2703
AMABLE, G. S., *see* Arnold, N. S.
AMARAL, S., MONTEIRO, A. M. V., CAMARA, G. and QUINTANILHA, J. A.: DMSP/OLS night-time light imagery for urban population estimates in the Brazilian Amazon, 855
ANCTIL, F., *see* Jand, J.-D.
ANCTIL, F., *see* Jang, J.-D.
ANDERSON, A. B., WANG, G. and GERTNER, G.: Local variability based sampling for mapping a soil erosion cover factor by co-simulation with Landsat TM images, 2423
ANDERSON, J. A., *see* Kirby, N. E.
ANDERSON, K. and MILTON, E. J.: On the temporal stability of ground calibration targets: implications for the reproducibility of remote sensing methodologies, 3365
ANDERSON, K., MILTON, E. J. and ROLLIN, E. M.: Calibration of dual-beam spectro-radiometric data, 975
ANDREWS DELLER, M. E.: Facies discrimination in laterites using Landsat Thematic Mapper, ASTER and ALI data-examples from Eritrea and Arabia, 2389
ANTONELLO, G., *see* Corsini, A.
ANTTILA, P., *see* Korpela, I.
ANTUNES, J. F. G., *see* Esquerdo, J. C. D. M.
APLIN, P., *see* Priestnall, G.
APLIN, P.: Preface, 2121
APLIN, P.: On scales and dynamics in observing the environment, 2123
ARCHER, N. A. L. and JONES, H. G.: Integrating hyperspectral imagery at different scales to estimate component surface temperatures, 2141
ARDÖ, J., *see* Seaquist, J. W.
ARGIALAS, D., *see* Karantzalos, K.
ARLI, O., *see* Ucuncuoglu, E.
ARMITAGE, R. P., *see* Boyd, D. S.
ARNOLD, J. G., *see* Chen, P. Y.

Taylor & Francis
Taylor & Francis Group

Index of Authors (with the titles of papers), volume 27 (2006)

ADHYA, T. K., *see* Manjunath, K. R.
AGÜERA, F., AGUILAR, M. A. and AGUILAR, F. J.: Detecting greenhouse changes from QuickBird imagery on the Mediterranean coast, 4751
AGAM, N., *see* Ben-Ze'ev, E.
AGAM, N., *see* Karnieli, A.
AGARWAL, V. K., *see* Varma, A. K.
AGUILAR, F. J., *see* Agüera, F.
AGUILAR, M. A., *see* Agüera, F.
AHN, Y. H., SHANMUGAM, P. and MOON, J. E.: Retrieval of ocean colour from high resolution multi-spectral imagery for monitoring highly dynamic ocean features, 367
AKBARI, M., MAMANPOUSH, A. R., GIESKE, A., MIRANZADEH, M., TORABI, M. and SALEMI, H. R.: Crop and land cover classification in Iran using Landsat 7 imagery, 4117
AL JASSAR, H. K., *see* Rao, K. S.
AL JASSAR, H. K., RAO, K. S. and SABBAH, I.: A model for the retrieval and monitoring of soil moisture over desert area of Kuwait, 329
AL-JASSAR, H. K., *see* Rao, K. S.
ALBERT, P., *see* Li, Z.
ALBRECHTOVÁ, J., *see* Malenovský, Z.
ALHAMAD, M. N., *see* Alrababah, M. A.
ALI, M. M., *see* Jena, B.
ALMEIDA, T. I. R., DE SOUZA FILHO, C. R. and ROSSETTO, R.: ASTER and Landsat ETM+ images applied to sugarcane yield forecast, 4057
ALRABABAH, M. A. and ALHAMAD, M. N.: Land use/cover classification of arid and semi-arid Mediterranean landscapes using Landsat ETM, 2703
AMABLE, G. S., *see* Arnold, N. S.
AMARAL, S., MONTEIRO, A. M. V., CAMARA, G. and QUINTANILHA, J. A.: DMSP/OLS night-time light imagery for urban population estimates in the Brazilian Amazon, 855
ANCTIL, F., *see* Jand, J.-D.
ANCTIL, F., *see* Jang, J.-D.
ANDERSON, A. B., WANG, G. and GERTNER, G.: Local variability based sampling for mapping a soil erosion cover factor by co-simulation with Landsat TM images, 2423
ANDERSON, J. A., *see* Kirby, N. E.
ANDERSON, K. and MILTON, E. J.: On the temporal stability of ground calibration targets: implications for the reproducibility of remote sensing methodologies, 3365
ANDERSON, K., MILTON, E. J. and ROLLIN, E. M.: Calibration of dual-beam spectro-radiometric data, 975
ANDREWS DELLER, M. E.: Facies discrimination in laterites using Landsat Thematic Mapper, ASTER and ALI data-examples from Eritrea and Arabia, 2389
ANTONELLO, G., *see* Corsini, A.
ANTTILA, P., *see* Korpela, I.
ANTUNES, J. F. G., *see* Esquerdo, J. C. D. M.
APLIN, P., *see* Priestnall, G.
APLIN, P.: Preface, 2121
APLIN, P.: On scales and dynamics in observing the environment, 2123
ARCHER, N. A. L. and JONES, H. G.: Integrating hyperspectral imagery at different scales to estimate component surface temperatures, 2141
ARDÖ, J., *see* Seaquist, J. W.
ARGIALAS, D., *see* Karantzalos, K.
ARLI, O., *see* Ucuncuoglu, E.
ARMITAGE, R. P., *see* Boyd, D. S.
ARNOLD, J. G., *see* Chen, P. Y.

Arnold, N. S., Rees, W. G., Devereux, B. J. and Amable, G. S.: Evaluating the potential of high-resolution airborne LiDAR data in glaciology, 1233
Ashcraft, I. S. and Long, D. G.: Comparison of methods for melt detection over Greenland using active and passive microwave measurements, 2469
Askne, J., *see* Santoro, M.
Assimakopoulos, M.-N., *see* Varotsos, C. A.
Atkinson, P. M., *see* Muslim, A. M.
Atkinson, P. M., *see* Thornton, M. W.
Atzeni, C., *see* Luzi, G.
Atzeni, C., *see* Noferini, L.
Avallone, A., *see* Elias, P.

Béland, M., Goïta, K., Bonn, F. and Pham, T. T. H.: Assessment of land-cover changes related to shrimp aquaculture using remote sensing data: a case study in the Giao Thuy District, Vietnam, 1491
Bélanger, M.-C., Viau, A. A., Samson, G. and Chamberland, M.: Near-field fluorescence measurements for nutrient deficiencies detection on potatoes (*Solanum tuberosum* L.): effects of the angle of view, 4181
Babu, M. T., *see* Vethamony, P.
Bachmann, M., *see* Colditz, R. R.
Bagayoko, M., *see* Diuk-Wasser, M. A.
Baghdadi, N. and Zribi, M.: Evaluation of radar backscatter models IEM, OH and Dubois using experimental observations, 3831
Baghdadi, N., Holah, N. and Zribi, M.: Calibration of the Integral Equation Model for SAR data in C-band and HH and VV polarizations, 805
Baghdadi, N., Holah, N. and Zribi, M.: Soil moisture estimation using multi-incidence and multi-polarization ASAR data, 1907
Baghzouz, M., Devitt, D. A. and Morris, R. L.: Evaluating temporal variability in the spectral reflectance response of annual ryegrass to changes in nitrogen applications and leaching fractions, 4137
Baldwin, D. G., *see* Esquerdo, J. C. D. M.
Balis, D., *see* Zerefos, C.
Banerjee, D. M., *see* Mukherjee, A. P.
Bao, Y., *see* Liu, L.
Bao, Z., *see* Li, Z.
Barón-Martinez, J., *see* Moreno-Ruiz, J. A.
Barbieri, M., *see* Corsini, A.
Barbosa, P., *see* Gabban, A.
Barthlomé, É., *see* Cabral, A. I. R.
Barthlomé, E., *see* Jand, J.-D.
Basu, S. K., *see* Vethamony, P.
Baugh, W. M. and Groeneveld, D. P.: Broadband vegetation index performance evaluated for a low-cover environment, 4715
Bayaer, W., *see* Xiao, J.
Bayarjargal, Y., *see* Karnieli, A.
Bayasgalan, M., *see* Karnieli, A.
Beeri, O. and Peled, A.: Spectral indices for precise agriculture monitoring, 2039
Begueria, S.: Identifying erosion areas at basin scale using remote sensing data and GIS: a case study in a geologically complex mountain basin in the Spanish Pyrenees, 4585
Belbachir, M. F., *see* Safia, A.
Ben-Dor, E., *see* Koltunov, A.
Ben-Ze'ev, E., Karnieli, A., Agam, N., Kaufman, Y. and Holben, B.: Assessing vegetation condition in the presence of biomass burning smoke by applying the Aerosol-free Vegetation Index (AFRI) on MODIS images, 3203
Benayas, J. M. R., *see* Cayuela, L.
Benitez, J. A., *see* Fisher, T. R.
Bennartz, R., *see* Li, Z.
Berka, L. M. S., *see* Xavier, A. C.
Berline, L., Testut, C.-E., Brasseur, P. and Verron, J.: Variability of the Gulf Stream

position and transport between 1992 and 1999: a re-analysis based on a data assimilation experiment, 417
Bernier, M., *see* Chokmani, K.
Bertrand, C., Clerbaux, N., Ipe, A., Dewitte, S. and Gonzalez, L.: Angular distribution models anisotropic correction factors and sun glint: a sensitivity study, 1741
Bhattacharjee, B., *see* Patel, N. R.
Bhattacharya, A. K., *see* Pal, S. K.
Bhattacharya, A. K., *see* Srivastava, P. K.
Bhattacharya, B. K., *see* Chaurasia, S.
Bhattacharya, S., *see* Virdi, N. S.
Bhattacharyya, S., *see* Raychaudhuri, B.
Biggs, T. W., Thenkabail, P. S., Gumma, M. K., Scott, C. A., Parthasaradhi, G. R. and Turral, H. N.: Irrigated area mapping in heterogeneous landscapes with MODIS time series, ground truth and census data, Krishna Basin, India, 4245
Bignami, C., *see* Stramondo, S.
Billa, L., Mansor, S., Mahmud, A. R. and Ghazali, A. H.: Modelling rainfall intensity from NOAA AVHRR data for operational flood forecasting in Malaysia, 5225
Bindlish, R., *see* Wen, J.
Bins, L. S., *see* Espindola, G. M.
Bio, A., *see* Carvalho, J.
Blanchfield, A. L., *see* Renzullo, L. J.
Blumberg, D. G., *see* Katra, I.
Bojar, A.-V., *see* Gupta, R. P.
Bonn, F., *see* Béland, M.
Borg, E., *see* Wloczyk, C.
Boyd, D. S., Entwistle, J. A., Flowers, A. G., Armitage, R. P. and Goldsmith, P. C.: Remote sensing the radionuclide contaminated Belarusian landscape: a potential for imaging spectrometry?, 1865
Boyd, D. S., Foody, G. M. and Phipps, P. C.: Dynamics of ENSO drought events on Sabah rainforests observed by NOAA AVHRR, 2197
Boyd, D. S., Sanchez-Hernandez, C. and Foody, G. M.: Mapping a specific class for priority habitats monitoring from satellite sensor data, 2631
Boynton, W. R., *see* Williams, M. R.
Bradley, A. V. and Millington, A. C.: Spatial and temporal scale issues in determining biomass burning regimes in Bolivia and Peru, 2221
Brandão Jr, A. O. and Souza Jr, C. M.: Mapping unofficial roads with Landsat images: a new tool to improve the monitoring of the Brazilian Amazon rainforest, 177
Brasseur, P., *see* Berline, L.
Braun, N. and Gade, M.: Multi-frequency scatterometer measurements on water surfaces agitated by artificial and natural rain, 27
Briole, P., *see* Elias, P.
Bro, R., *see* Jørgensen, R. N.
Brown, I. A., *see* Dean, A. M.
Bucci, M., *see* Pellegrini, P. F.
Buehler, S. A., *see* Eriksson, P.
Bullard, S., *see* Sklaver, B. A.
Bunting, S. C., *see* Strand, E. K.
Burrow, J. P., *see* Lee, K. H.
Butenuth, M., *see* Zhang, Y.
Butson, C. R. and King, D. J.: Lacunarity analysis to determine optimum extents for sample-based spatial information extraction from high-resolution forest imagery, 105

Cabral, A. I. R., Vasconcelos, M. J. P., Pereira, J. M. C., Martins, E. and Bartholomé, É: A land cover map of southern hemisphere Africa based on SPOT-4 Vegetation data, 1053
Caltabiano, A., *see* Pezzi, L.
Camara, G., *see* Amaral, S.
Camara, G., *see* Espindola, G. M.
Camberlin, P., *see* Martiny, N.

CANTY, M. J. and NIELSEN, A. A.: Visualization and unsupervised classification of changes in multispectral satellite imagery, 3961
CAPÃO, L. M. S. A. C., *see* Ferraz, S. F. B.
CARLEER, A. P. and WOLFF, E.: Urban land cover multi-level region-based classification of VHR data by selecting relevant features, 1035
CARVALHO, J., SOARES, A. and BIO, A.: Improving satellite images classification using remote and ground data integration by means of stochastic simulation, 3375
CASAGLI, N., *see* Corsini, A.
CASCINI, L., FERLISI, S., FORNARO, G., LANARI, R., PEDUTO, D. and ZENI, G.: Subsidence monitoring in Sarno urban area via multi-temporal DInSAR technique, 1709
CASTAING, P., *see* Doxaran, D.
CASTELLANI, M.: Identification of eddies from sea surface temperature maps with neural networks, 1601
CASTRO-ESAU, K., *see* Sánchez-Azofeifa, G. A.
CASTRONUOVO, M. M., *see* Mito, C. O.
CAYUELA, L., GOLICHER, J. D., REY, J. S. and BENAYAS, J. M. R.: Classification of a complex landscape using Dempster—Shafer theory of evidence, 1951
CEN, M., *see* Zhang, T.
CERCO, C. F., *see* Williams, M. R.
CHAKRABORTY, M., *see* Choudhury, I.
CHALLENOR, P., *see* Pezzi, L.
CHAMAILLE-JAMMES, S., FRITZ, H. and MURINDAGOMO, F.: Spatial patterns of the NDVI-rainfall relationship at the seasonal and interannual time scales in an African savanna, 5185
CHAMBERLAND, M., *see* Bélanger, M.-C.
CHANDRASEKAR, A., *see* Sandeep, S.
CHANDRASEKAR, A., *see* Xavier, V. F.
CHANG, M.-H., *see* Li, C.-C.
CHARLTON, M. B. and WHITE, K.: Sensitivity of radar backscatter to desert surface roughness, 1641
CHASTANET, P., *see* Henry, J.-B.
CHATTOPADHYAY, A. and DUTTA, S.: Mapping monsoonal soil wetness regions from multi-temporal VEGETATION dataset, 4693
CHAURASIA, S., BHATTACHARYA, B. K., DADHWAL, V. K. and PARIHAR, J. S.: Field-scale Leaf Area Index estimation using IRS-1D LISS-III data, 637
CHEHBOUNI, A. G., *see* Hadria, R.
CHEN, C.-T., *see* Su, F.-C.
CHEN, J., *see* Yamano, H.
CHEN, J., LIN, H., LIU, A., SHAO, Y. and YANG, L.: A semi-empirical backscattering model for estimation of leaf area index (LAI) of rice in southern China, 5419
CHEN, J., LIN, H., SHAO, Y. and YANG, L.: Oblique striping removal in remote sensing imagery based on wavelet transform, 1717
CHEN, L., *see* Xin, J.
CHEN, P. Y., LUZIO, M. D. and ARNOLD, J. G.: Spatial agreement between two land-cover data sets stratified by agricultural eco-regions, 3223
CHEN, W. B., *see* Xie, F.
CHEN, Y.-C., *see* Li, C.-C.
CHEN, Y., LI, X., SHI, P., GONG, A. and DOU, W.: Land cover pattern optimization for local ecological security using remotely sensed data, 2003
CHEN, Z., *see* Zhang, B.
CHEN, Z., ZHAO, Z., GONG, P. and ZENG, B.: A new process for the segmentation of high resolution remote sensing imagery, 4991
CHENG, Q., JING, L. and PANAHI, A.: Principal component analysis with optimum order sample correlation coefficient for image enhancement, 3387
CHIANG, Y.-M., *see* Hong, Y.
CHIBANI, Y., *see* Nemmour, H.
CHIESI, M., *see* Maselli, F.
CHINI, M., *see* Stramondo, S.

Chokmani, K., Bernier, M. and Gauthier, Y.: Technical note. Uncertainty analysis of *EQeau*, a remote sensing based model for snow water equivalent estimation, 4337
Choudhury, I. and Chakraborty, M.: SAR signature investigation of rice crop using RADARSAT data, 517
Choudhury, S., *see* Saraf, A. K.
Choudhury, S., Dasgupta, S., Saraf, A. K. and Panda, S.: Remote sensing observations of pre-earthquake thermal anomalies in Iran, 4381
Chrysoulakis, N., *see* Nikolakopoulos, K. G.
Cipollini, P., *see* Edwards, L. A.
Clark, H., *see* Dymond, J. R.
Clerbaux, N., *see* Bertrand, C.
Clevers, J. G. P. W., *see* Malenovský, Z.
Colditz, R. R., Wehrmann, T., Bachmann, M., Steinnocher, K., Schmidt, M., Strunz, G. and Dech, S.: Influence of image fusion approaches on classification accuracy: a case study, 3311
Collings, A., Williams, R. N., Young, N. and Hyland, G.: A semi-automated line tracing technique for monitoring ice margins in Antarctic images, 433
Coren, F. and Sterzai, P.: Technical Note and Cover. Radiometric correction in laser scanning, 3097
Coren, F., *see* Corsini, A.
Corgne, S., *see* Hegarat-Mascle, S. L.
Cornelius, J., *see* Miller, S. D.
Corsini, A., Farina, P., Antonello, G., Barbieri, M., Casagli, N., Coren, F., Guerri, L., Ronchetti, F., Sterzai, P. and Tarchi, D.: Space-borne and ground-based SAR interferometry as tools for landslide hazard management in civil protection, 2351
Coulibaly, L. and Goïta, K.: Evaluation of the potential of various spectral indices and textural features derived from satellite images for surficial deposits mapping, 4567
Cracknell, A. P., *see* Intajag, S.
Cracknell, A. P., *see* Kirby, N. E.
Cracknell, A. P., *see* Varotsos, C. A.
Cross, P., *see* Li, Z.
Crouvi, O., *see* Koltunov, A.
Csillag, F., *see* Remmel, T. K.
Csillag, F., Kabos, S. and Remmel, T. K.: Confidence in coincidence, 1269
Cuadrado, M. S., *see* Palenzuela, J. M. T.
Cuadrat-Prats, J. M., *see* Vicente-Serrano, S. M.
Cudlín, P., *see* Malenovský, Z.
Cuevas, J. M., *see* González-Alonso, F.
Cui, W. J., *see* Xie, F.
Cutler, M. E. J., *see* Mills, H.

D'Haeyer, J., *see* Gautama, S.
Dadhwal, V. K., *see* Chaurasia, S.
Dai, J., *see* Ma, R.
Dai, J., *see* Ma, R.
Dai, Q., *see* Ouyang, Y.
Daigo, M., *see* Zhang, L.
Daniel, V., *see* Rao, K. S.
Daniels, A. E.: Incorporating domain knowledge and spatial relationships into land cover classifications: a rule-based approach, 2949
Das, G., *see* Ray, S. S.
Dasgupta, S., *see* Choudhury, S.
Dasog, G. S., *see* Sethi, M.
Davi, H., Soudani, K., Deckx, T., Dufrene, E., Le Dantec, V. and François, C.: Estimation of forest leaf area index from SPOT imagery using NDVI distribution over forest stands, 885
Davidson, G., Ouchi, K., Saito, G., Ishitsuka, N., Mohri, K. and Uratsuka, S.: Single-look classification accuracy for polarimetric SAR, 5073
Davies, R., *see* Seiz, G.

De Baardemaaker, J., *see* Reyniers, M.
De Baets, B., *see* Mertens, K. C.
De Souza Filho, C. R., *see* Almeida, T. I. R.
De Leeuw, J., Jia, H., Yang, L., Liu, X., Schmidt, K. and Skidmore, A. K.: Comparing accuracy assessments to infer superiority of image classification methods, 223
De Wulf, R. R., *see* Mertens, K. C.
Dean, A. M., Brown, I. A., Huntley, B. and Thomas, C. J.: Monitoring snowmelt across the Arctic forest-tundra ecotone using Synthetic Aperture Radar, 4347
Dech, S., *see* Colditz, R. R.
Deckx, T., *see* Davi, H.
Dedieu, G., *see* Hadria, R.
Deepshikha, S., *see* Satheesh, S. K.
Dehghan, H. and Ghassemian, H.: Measurement of uncertainty by the entropy: application to the classification of MSS data, 4005
Delamater, P. L., *see* Messina, J. P.
Dell'acqua, F. and Gamba, P.: Discriminating urban environments using multiscale texture and multiple SAR images, 3797
Dematté, J. A. M., *see* Fortes, C.
Dematté, J. A. M., *see* Genú, A. M.
Dennison, P. E.: Fire detection in imaging spectrometer data using atmospheric carbon dioxide absorption, 3049
Desnos, Y.-L., *see* Henry, J.-B.
Devereux, B. J., *see* Arnold, N. S.
Devereux, B. J., *see* Gitas, I. Z.
Devitt, D. A., *see* Baghzouz, M.
Dewitte, S., *see* Bertrand, C.
Dikshit, O., *see* Pathak, V.
Ding, X. L., *see* Li, Z. W.
Diuk-Wasser, M. A., Dolo, G., Bagayoko, M., Sogoba, N., Toure, M. B., Moghaddam, M., Manoukis, N., Rian, S., Traore, S. F. and Taylor, C. E.: Patterns of irrigated rice growth and malaria vector breeding in Mali using multi-temporal ERS-2 synthetic aperture radar, 533
Dolo, G., *see* Diuk-Wasser, M. A.
Domaç, A. and Süzen, M. L.: Integration of environmental variables with satellite images in regional scale vegetation classification, 1329
Donoghue, D. N. M. and Watt, P. J.: Using LiDAR to compare forest height estimates from IKONOS and Landsat ETM+ data in Sitka spruce plantation forests, 2161
Doraiswamy, P. C., *see* Rizzi, R.
Dou, W., *see* Chen, Y.
Doxaran, D., Castaing, P. and Lavender, S. J.: Monitoring the maximum turbidity zone and detecting fine-scale turbidity features in the Gironde estuary using high spatial resolution satellite sensor (SPOT HRV, Landsat ETM+) data, 2303
Dransfeld, S., Tatnall, A. R., Robinson, I. S. and Mobley, C. D.: Neural network training: Using untransformed or log-transformed training data for the inversion of ocean colour spectra?, 2011
Duan, Q., *see* Tan, K.
Duchemin, B., *see* Hadria, R.
Dufrene, E., *see* Davi, H.
Dutta, S., *see* Chattopadhyay, A.
Dymond, J. R., Shepherd, J. D., Clark, H. and Litherland, A.: Use of VEGETATION satellite imagery to map pasture quality for input to a methane budget of New Zealand, 1261

Eckardt, F., *see* Hamandawana, H.
Edwards, L. A., Houseago-Stokes, R. E. and Cipollini, P.: Altimeter observations of the MJO/ENSO connection through Kelvin waves, 1193
Efstathiou, M. N., *see* Varotsos, C. A.
Eklundh, L., *see* Lindström, J.
Eklundh, L., *see* Seaquist, J. W.

EKSTRÖM, M., *see* Eriksson, P.
ELEFTHERATOS, C., *see* Zerefos, C.
ELIAS, P., KONTOES, C., SYKIOTI, O., AVALLONE, A., van GORP, S., BRIOLE, P. and PARADISSIS, D.: A method for minimising of low frequency and unwrapping artefacts from interferometric calculations, 3079
ELLIS, E. C. and WANG, H.: Estimating area errors for fine-scale feature-based ecological mapping, 4731
ELVIDGE, C. D., *see* Miller, S. D.
EMERY, W. J., *see* Esquerdo, J. C. D. M.
ENGEL, B. A., *see* Mercuri, P. A.
ENTWISTLE, J. A., *see* Boyd, D. S.
EPPLER, D., *see* Gebelein, J.
ER-RAKI, S., *see* Hadria, R.
ERBEK, F. S., *see* Uça, Z. D.
ERIKSSON, L., *see* Santoro, M.
ERIKSSON, P., EKSTRÖM, M., MELSHEIMER, C. and BUEHLER, S. A.: Efficient forward modelling by matrix representation of sensor responses, 1793
ERONAT, A. H., *see* Ucuncuoglu, E.
ESHLEMAN, K. N., *see* Williams, M. R.
ESPINDOLA, G. M., CAMARA, G., REIS, I. A., BINS, L. S. and MONTEIRO, A. M.: Parameter selection for region-growing image segmentation algorithms using spatial autocorrelation, 3035
ESQUERDO, J. C. D. M., ANTUNES, J. F. G., BALDWIN, D. G., EMERY, W. J. and ZULLO JÚNIOR, J.: An automatic system for AVHRR land surface product generation, 3925
EVAN, A. T., HEIDINGER, A. K. and PAVOLONIS, M. J.: Development of a new over-water Advanced Very High Resolution Radiometer dust detection algorithm, 3903
EVDOSHENKO, M. A., *see* Karabashev, G. S.

FAIRBAIRN, D., *see* Mills, H.
FAN, J., *see* Shen, C.
FAN, Y., *see* Zhu, M.
FARINA, P., *see* Corsini, A.
FASKEL, F., *see* Pearce, A.
FEIDAS, H.: Validating three infrared-based rainfall retrieval algorithms for intense convective activity over Greece, 2787
FELLAH, K., *see* Henry, J.-B.
FENSHOLT, R., NIELSEN, T. T. and STISEN, S.: Evaluation of AVHRR PAL and GIMMS 10-day composite NDVI time series products using SPOT-4 vegetation data for the African continent, 2719
FERLISI, S., *see* Cascini, L.
FERNÁNDEZ-MANSO, A., *see* Quintano, C.
FERNÁNDEZ-MANSO, O., *see* Quintano, C.
FERRAZ, S. F. B., CAPÃO, L. M. S. A. C. and VETTORAZZI, C. A.: Temporal scale and spatial resolution effects on Amazon forest fragmentation assessment in Rondônia, 457
FERWERDA, J. G., SKIDMORE, A. K. and STEIN, A.: A bootstrap procedure to select hyperspectral wavebands related to tannin content, 1413
FIÚZA, A. F. G., *see* Santos, A. M. P.
FIORANI, L., OKLADNIKOV, I. G. and PALUCCI, A.: First algorithm for chlorophyll-*a* retrieval from MODIS-Terra imagery of Sun-induced fluorescence in the Southern Ocean, 3615
FISCHER, J., *see* Li, Z.
FISCUS, D. A., *see* Williams, M. R.
FISHER, T. R., *see* Williams, M. R.
FISHER, T. R., BENITEZ, J. A., LEE, K.-Y. and SUTTON, A. J.: History of land cover change and biogeochemical impacts in the Choptank River basin in the mid-Atlantic region of the US, 3683
FLANNIGAN, M., *see* Oldford, S.
FLORENCHIE, P., *see* Veitch, J. A.
FLOWERS, A. G., *see* Boyd, D. S.
FOODY, G. M., *see* Boyd, D. S.

FOODY, G. M., *see* Boyd, D. S.
FOODY, G. M., *see* Muslim, A. M.
FORMAGGIO, A. R., *see* Galvão, L. S.
FORNARO, G., *see* Cascini, L.
FORSTER, R. M. and JESUS, B.: Field spectroscopy of estuarine intertidal habitats, 3657
FORTES, C. and DEMATTÊ, J. A. M.: Discrimination of sugarcane varieties using Landsat 7 ETM+ spectral data, 1395
FRANÇOIS, C., *see* Davi, H.
FRANKLIN, S. E., *see* Wulder, M. A.
FRERY, A. C., *see* Gambini, J.
FRITZ, H., *see* Chamaille-Jammes, S.
FRITZ, H., *see* Gupta, R. P.
FROHN, R. C.: The use of landscape pattern metrics in remote sensing image classification, 2025
FROST, P. E., *see* Wessels, K. J.
FU, Y., *see* Li, Z.
FUJINUMA, Y., *see* Nakaji, T.
FUJIWARA, N., *see* Zhang, L.
FURUMI, S., *see* Zhang, L.

GABBAN, A., SAN-MIGUEL-AYANZ, J., BARBOSA, P. and LIBERTÀ, G.: Analysis of NOAA-AVHRR NDVI inter-annual variability for forest fire risk estimation, 1725
GABBAN, A., SAN-MIGUEL-AYANZ, J. and VIEGAS, D. X.: On the suitability of the use of normalized difference vegetation index for forest fire risk assessment, 5095
GADE, M., *see* Braun, N.
GAIROLA, R. M., *see* Varma, A. K.
GALGARO, A., *see* Luzi, G.
GALVÃO, L. S., FORMAGGIO, A. R. and TISOT, D. A.: The influence of spectral resolution on discriminating Brazilian sugarcane varieties, 769
GAMBA, P., *see* Dell'acqua, F.
GAMBINI, J., MEJAIL, M. E., JACOBO-BERLLES, J. and FRERY, A. C.: Feature extraction in speckled imagery using dynamic B-spline deformable contours under the $\mathcal{G}^0$ model, 5037
GAO, J., *see* Jiao, H. B.
GAO, J.: Quantification of grassland properties: how it can benefit from geoinformatic technologies?, 1351
CHEN, C. and MCNAIRN, H.: A neural network integrated approach for rice crop monitoring, 1367
GARCÍA-GIGORRO, S., *see* González-Alonso, F.
GARCIA, C. A. E., *see* Garcia, V. M. T.
GARCIA, V. M. T., SIGNORINI, S., GARCIA, C. A. E. and MCCLAIN, C. R.: Empirical and semi-analytical chlorophyll algorithms in the south-western Atlantic coastal region (25–40°S and 60–45°W), 1539
GARZELLI, A. and NENCINI, F.: PAN-sharpening of very high resolution multispectral images using genetic algorithms, 3273
GAUTAMA, S., D'HAEYER, J. and PHILIPS, W.: Graph-based change detection in geographic information using VHR satellite images, 1809
GAUTHIER, Y., *see* Chokmani, K.
GE, J., *see* Torbick, N.
GEBELEIN, J. and EPPLER, D.: How Earth remote sensing from the International Space Station complements current satellite-based sensors, 2613
GEIGER, E. L., *see* Huang, C.
GENÚ, A. M. and DEMATTÊ, J. A. M.: Determination of soil attribute contents by means of reflected electromagnetic energy, 4807
GENS, R., *see* Limpitlaw, D.
GERTNER, G., *see* Anderson, A. B.
GESSLER, P. E., *see* Strand, E. K.
GHABOUR, T. K., *see* Vanderstraete, T.
GHASSEMIAN, H., *see* Dehghan, H.
GHAZALI, A. H., *see* Billa, L.

GIESKE, A., *see* Akbari, M.
GILES, K. A. and HVIDEGAARD, S. M.: Comparison of space borne radar altimetry and airborne laser altimetry over sea ice in the Fram Strait, 3105
GITAS, I. Z. and DEVEREUX, B. J.: The role of topographic correction in mapping recently burned Mediterranean forest areas from LANDSAT TM images, 41
GLENN, N. F., *see* Khan, S. D.
GOÏTA, K., *see* Béland, M.
GOÏTA, K., *see* Coulibaly, L.
GOEL, P., *see* Sharma, G.
GOLDSMITH, P. C., *see* Boyd, D. S.
GOLICHER, J. D., *see* Cayuela, L.
GONG, A., *see* Chen, Y.
GONG, P., *see* Chen, Z.
GONG, P., *see* Sun, W.
GONZÁLEZ-ALONSO, F., MERINO-DE-MIGUEL, S., ROLDÁN-ZAMARRÓN, A., GARCÍA-GIGORRO, S. and CUEVAS, J. M.: Forest biomass estimation through NDVI composites. The role of remotely sensed data to assess Spanish forests as carbon sinks, 5411
GONZALEZ, L., *see* Bertrand, C.
GONZALO, C., *see* Lillo-Saavedra, M.
GOOSSENS, R., *see* Vanderstraete, T.
GRÜN, A., *see* Seiz, G.
GRINGS, F., *see* Paolini, L.
GROENEVELD, D. P., *see* Baugh, W. M.
GROOM, S. B., *see* Miller, P. I.
GU, W., *see* Xie, F.
GUERRI, L., *see* Corsini, A.
GUILLEMET, B., *see* Lafont, D.
GUILLERMIN, R., *see* Renzullo, L. J.
GUMMA, M. K., *see* Biggs, T. W.
GUO, H., *see* Yang, H.
GUO, J. M. and TROTTER, C. M.: Estimating photosynthetic light-use efficiency using the photochemical reflectance index: the effects of short-term exposure to elevated CO_2 and low temperature, 4677
GUO, Z., *see* Zhang, X.
GUPTA, R. P., FRITZ, H. and BOJAR, A.-V.: On the nature of the South Tibetan Detachment Zone (STDZ), Kumaun Himalayas, 453
GUTMAN, G., *see* Maktav, D.

HA, S., *see* Xie, F.
HADDOCK, S. H. D., *see* Miller, S. D.
HADRIA, R., DUCHEMIN, B., LAHROUNI, A., KHABBA, S., ER-RAKI, S., DEDIEU, G., CHEHBOUNI, A. G. and OLIOSO, A.. Monitoring of irrigated wheat in a semi-arid climate using crop modelling and remote sensing data: Impact of satellite revisit time frequency, 1093
HAGGERTY, P., *see* Miller, S. D.
HAMANDAWANA, H., ECKARDT, F. and RINGROSE, S.: The use of step-wise density slicing in classifying high-resolution panchromatic photographs, 4923
HAN, L., *see* Wang, F.
HAN, Z., JIN, Y.-Q. and YUN, C.-X.: Suspended sediment concentrations in the Yangtze River estuary retrieved from the CMODIS data, 4329
HANDZEL, T., *see* Sklaver, B. A.
HANG, L. K., *see* Nichol, J.
HANN, D. B., *see* Strand, E. K.
HANSEN, P. M., *see* Jørgensen, R. N.
HASELWIMMER, C. E., *see* Liu, J. G.
HAWKINS, J. D., *see* Miller, S. D.
HAWKINS, J. D., *see* Miller, S. D.
HAY, S. I., *see* Tatem, A. J.
HEGARAT-MASCLE, S. L., SELTZ, R., HUBERT-MOY, L., CORGNE, S. and STACH, N.:

Performance of change detection using remotely sensed data and evidential fusion: comparison of three cases of application, 3515
HEIDINGER, A. K., *see* Evan, A. T.
HEIPKE, C., *see* Zhang, Y.
HEISKANEN, J.: Estimating aboveground tree biomass and leaf area index in a mountain birch forest using ASTER satellite data, 1135
HELD, A. A., *see* Renzullo, L. J.
HENEGAR, J., *see* Miller, S. D.
HENRY, J.-B., CHASTANET, P., FELLAH, K. and DESNOS, Y.-L.: Envisat multi-polarized ASAR data for flood mapping, 1921
HERNÁNDEZ, A., *see* Lira, Y. D.
HILL, J., *see* Kuemmerle, T.
HIYAMA, T., *see* Liu, Y.
HO, C.-R., *see* Su, F.-C.
HOFFER, R. M., *see* Vanamburg, L. K.
HOLAH, N., *see* Baghdadi, N.
HOLAH, N., *see* Baghdadi, N.
HOLBEN, B., *see* Ben-Ze'ev, E.
HOLLAND, D. A., *see* Thornton, M. W.
HOLST, J., *see* Lindström, J.
HOLST, U., *see* Lindström, J.
HONDA, K., *see* Kassahun, D.
HONG, S.-H., JUNG, H.-S. and WON, J.-S.: Extraction of ground control points (GCPs) from synthetic aperture radar images and SRTM DEM, 3813
HONG, Y., CHIANG, Y.-M., LIU, Y., HSU, K.-L. and SOROOSHIAN, S.: Satellite-based precipitation estimation using watershed segmentation and growing hierarchical self-organizing map, 5165
HOOD, R. R., *see* Williams, M. R.
HOUNTONDJI, Y.-C., SOKPON, N. and OZER, P.: Analysis of the vegetation trends using low resolution remote sensing data in Burkina Faso (1982–1999) for the monitoring of desertification, 871
HOUSEAGO-STOKES, R. E., *see* Edwards, L. A.
HSU, K.-L., *see* Hong, Y.
HU, X., *see* Zhang, Y.
HUA, D., *see* Mannel, S.
HUANG, C., *see* Li, Z. W.
HUANG, C., GEIGER, E. L. and KUPFER, J. A.: Sensitivity of landscape metrics to classification scheme, 2927
HUANG, J. Z., *see* Jiao, H. B.
HUANG, S. Q., *see* Xie, F.
HUANG, W., *see* Liu, L.
HUBERT-MOY, L., *see* Hegarat-Mascle, S. L.
HUNTLEY, B., *see* Dean, A. M.
HUTCHISON, K., WONG, E. and OU, S. C.: Cloud base heights retrieved during night-time conditions with MODIS data, 2847
HVIDEGAARD, S. M., *see* Giles, K. A.
HYLAND, G., *see* Collings, A.
HYNDES, G., *see* Pearce, A.

IFTENE, T., *see* Safia, A.
INNOCENTI, M., *see* Pellegrini, P. F.
INOUE, Y. and PEÑUELAS, J.: Relationship between light use efficiency and photochemical reflectance index in soybean leaves as affected by soil water content, 5109
INTAJAG, S., PAITHOONWATANAKIJ, K. and CRACKNELL, A. P.: Automatic image segmentation using fuzzy hit or miss and homogeneity index, 203
IPE, A., *see* Bertrand, C.
ISHITSUKA, N., *see* Davidson, G.
IZUMI, T., *see* Shimamura, Y.

JØRGENSEN, R. N., HANSEN, P. M. and BRO, R.: Exploratory study of winter wheat reflectance during vegetative growth using three-mode component analysis, 919
JÚNIOR, J. Zullo, *see* Esquerdo, J. C. D. M.
JACKSON, T. J., *see* Wen, J.
JACOBO-BERLLES, J., *see* Gambini, J.
JAIN, R. K., *see* Jain, S.
JAIN, S. and JAIN, R. K.: A remote sensing approach to establish relationships among different land covers at the micro level, 2667
JAISHANKER, R., THOMASKUTTY, A. V., SENTHIVEL, T. and SRIDHAR, V. N.: Soil line transformation based relative radiometric normalization, 5103
JAND, J.-D., VIAU, A. A., ANCTIL, F. and BARTHOLOMÉ, E.: Neural network application for cloud detection in SPOT VEGETATION images, 719
JANG, J.-D., VIAU, A. A. and ANCTIL, F.: Thermal-water stress index from satellite images, 1619
JAYAKUMAR, S., *see* Vethamony, P.
JAYAPPA, K. S., MITRA, D. and MISHRA, A. K.: Coastal geomorphological and land-use and land-cover study of Sagar Island, Bay of Bengal (India) using remotely sensed data, 3671
JENA, B., RAO, M. V. and SAHU, B. K.: TRMM derived sea surface temperature in the wake of a cyclonic storm over the central Bay of Bengal, 3065
JENA, B., SASMAL, S. K., RAO, M. V. and ALI, M. M.: Inter-comparison of NOAA-AVHRR and IRS-P_4 (MSMR) derived sea surface temperatures, 3123
JENSEN, O. C. and SÁNCHEZ AZOFEIFA, G. A.: Satellite-derived ecosystems classification: image segmentation by ecological region for improved classification accuracy, a boreal case study, 233
JESUS, B., *see* Forster, R. M.
JIA, H., *see* de Leeuw, J.
JIA, X., *see* Zhang, B.
JIANG, N., *see* Zhu, M.
JIAO, H. B., ZHA, Y., GAO, J., LI, Y. M., WEI, Y. C. and HUANG, J. Z.: Estimation of chlorophyll-*a* concentration in Lake Tai, China using *in situ* hyperspectral data, 4267
JIMÉNEZ-MUÑOZ, J. C. and SOBRINO, J. A.: Error sources on the land surface temperature retrieved from thermal infrared single channel remote sensing data, 999
JIN, Y.-Q., *see* Han, Z.
JING, B., *see* Jubai, A.
JING, L., *see* Cheng, Q.
JING, L., *see* Yunhao, C.
JOHANNSEN, C. J., *see* Mercuri, P. A.
JONES, A. T., THANKAPPAN, M., LOGAN, G. A., KENNARD, J. M., SMITH, C. J., WILLIAMS, A. K. and LAWRENCE, G. M.: Coral spawn and bathymetric slicks in Synthetic Aperture Radar (SAR) data from the Timor Sea, north-west Australia, 2063
JONES, H. G., *see* Archer, N. A. L.
JOSHI, P. C., *see* Singh, R.
JOURDAN, O., *see* Lafont, D.
JUBAI, A., JING, B. and YANG, J.: Combining fuzzy theory and a genetic algorithm for satellite image edge detection, 3013
JUNG, H.-S., *see* Hong, S.-H.

KABOS, S., *see* Csillag, F.
KAKEMBO, V., PALMER, A. and ROWNTREE, K.: The use of high resolution digital camera imagery to characterize the distribution of *Pteronia incana* invader species in Ngqushwa (formerly Peddie) District, Eastern Cape, South Africa, 2735
KALPOMA, K. A. and KUDOH, J.: A new algorithm for forest fire detection method with statistical analysis using NOAA AVHRR images, 3867
KAMARATAKIS, E. K., *see* Nikolakopoulos, K. G.
KANDIRMAZ, H. M.: A model for the estimation of the daily global sunshine duration from meteorological geostationary satellite data, 5061
KANNELOPOULOU, E., *see* Zerefos, C.
KARABASHEV, G. S., EVDOSHENKO, M. A. and SHEBERSTOV, S. V.: Normalized radiance spectrum as a water exchange event diagnostic, 1775

KARANTZALOS, K. and ARGIALAS, D.: Improving edge detection and watershed segmentation with anisotropic diffusion and morphological levellings, 5429
KARATHANASSI, V., TOPOUZELIS, K., PAVLAKIS, P. and ROKOS, D.: An object-oriented methodology to detect oil spills, 5235
KARNIELI, A., *see* Ben-Ze'ev, E.
KARNIELI, A., *see* Okeke, F.
KARNIELI, A., *see* Okeke, F.
KARNIELI, A., BAYASGALAN, M., BAYARJARGAL, Y., AGAM, N., KHUDULMUR, S. and TUCKER, C. J.: Comments on the use of the Vegetation Health Index over Mongolia, 2017
KARSZENBAUM, H., *see* Paolini, L.
KASSAHUN, D., TRIPATHI, N. K. and HONDA, K.: Development of spectral band cloning techniques for soil nutrients estimation, 4213
KATRA, I., BLUMBERG, D. G., LAVEE, H. and SARAH, P.: A method for estimating the spatial distribution of soil moisture of arid microenvironments by close range thermal infrared imaging, 2599
KAUFMAN, Y., *see* Ben-Ze'ev, E.
KELEPERTSIS, A., *see* Zerefos, C.
KEMP, M. W., *see* Williams, M. R.
KENNARD, J. M., *see* Jones, A. T.
KENT, J., *see* Miller, S. D.
KEUTTERLING, A. and THOMAS, A.: Monitoring glacier elevation and volume changes with digital photogrammetry and GIS at Gepatschferner glacier, Austria, 4371
KHABBA, S., *see* Hadria, R.
KHAN, S. D. and GLENN, N. F.: New strike-slip faults and litho-units mapped in Chitral (N. Pakistan) using field and ASTER data yield regionally significant results, 4495
KHUDULMUR, S., *see* Karnieli, A.
KIDD, C.: Radio frequency interference at passive microwave earth observation frequencies, 3853
KIM, S.-C., *see* Williams, M. R.
KIM, Y. J., *see* Lee, K. H.
KIMURA, R., *see* Liu, Y.
KING, D. J., *see* Butson, C. R.
KIRBY, N. E., CRACKNELL, A. P., MONK, J. G. C. and ANDERSON, J. A.: The automatic alignment and mosaic of video frames from the variable interference filter imaging spectrometer, 4885
KISHTAWAL, C. M., *see* Singh, R.
KOLTUNOV, A., CROUVI, O. and BEN-DOR, E.: Geomorphologic mapping from hyperspectral data, using Gaussian mixtures and lower confidence bounds, 4545
KONTOES, C., *see* Elias, P.
KORPELA, I., ANTTILA, P. and PITKÄNEN, J.: The performance of a local maxima method for detecting individual tree tops in aerial photographs, 1159
KOVÁCS, W. A., *see* Tyler, A. N.
KRÁL, K. and PAVLI, J.: The first detailed land-cover map of Socotra Island by Landsat/ETM+ data, 3239
KRISHNAN, R., *see* Patra, S. K.
KUŞAK, L., *see* Uça, Z. D.
KUANG, D.-B., *see* Zhu, S.-Y.
KUCIAUSKAS, A. P., *see* Miller, S. D.
KUDOH, J., *see* Kalpoma, K. A.
KUEMMERLE, T., RÖDER, A. and HILL, J.: Separating grassland and shrub vegetation by multidate pixel-adaptive spectral mixture analysis, 3251
KULKARNI, A. V., SINGH, S. K., MATHUR, P. and MISHRA, V. D.: Algorithm to monitor snow cover using AWiFS data of RESOURCESAT-1 for the Himalayan region, 2449
KUMAR, K. V., MARTHA, T. R. and ROY, P. S.: Mapping damage in the Jammu and Kashmir caused by 8 October 2005 M_w 7.3 earthquake from the Cartosat-1 and Resourcesat-1 imagery, 4449
KUMAR, R., *see* Vethamony, P.
KUMARI, K., *see* Manjunath, K. R.
KUNG, H.-T., *see* Wang, F.

Kuo, N.-J., *see* Su, F.-C.
Kupfer, J. A., *see* Huang, C.

Lénárt, C., *see* Tamás, J.
Lafont, D., Jourdan, O. and Guillemet, B.: Mesoscale cloud pattern classification over ocean with a neural network using a new index of cloud variability, 3533
Lahrouni, A., *see* Hadria, R.
Lamparelli, R. A. C., *see* Ponzoni, F. J.
Lan, Z. and Zhang, D.: Study on optimization-based layered classification for separation of wetlands, 1511
Lanari, R., *see* Cascini, L.
Laneve, G., *see* Mito, C. O.
Lanorte, A., *see* Lasaponara, R.
Lasaponara, R. and Masini, N.: On the potential of QuickBird data for archaeological prospection, 3607
Lasaponara, R. and Telesca, L.: Decadal variability in multitemporal satellite SPOT-VEGETATION NDII data, 4685
Lasaponara, R., *see* Telesca, L.
Lasaponara, R., Lanorte, A. and Pignatti, S.: Multiscale fuel type mapping in fragmented ecosystems: preliminary results from hyperspectral MIVIS and multispectral Landsat TM data, 585
Lathrop, Jr, R. G.: The application of a ratio estimator to determine confidence limits on land use change mapping, 2033
Laurs, R. M., *see* Santos, A. M. P.
Lavee, H., *see* Katra, I.
Lavender, S. J., *see* Doxaran, D.
Lawrence, G. M., *see* Jones, A. T.
Le Dantec, V., *see* Davi, H.
Leblon, B., *see* Oldford, S.
Lee, J. Y. and Warner, T. A.: Segment based image classification, 3403
Lee, K. H., Kim, Y. J., von Hoyningen-Huene, W. and Burrow, J. P.: Influence of land surface effects on MODIS aerosol retrieval using the BAER method over Korea, 2813
Lee, K.-Y., *see* Fisher, T. R.
Lee, T. F., *see* Miller, S. D.
Lee, T. F., *see* Miller, S. D.
Lee, T. F., *see* Miller, S. D.
Legg, G., *see* Miller, S. D.
Legresy, B., *see* Papa, F.
Lei, D., *see* Yunhao, C.
Lei, Y., *see* Zhang, Y.
Lhotáková, Z., *see* Malenovský, Z.
Li, C.-C., Chang, M.-H. and Chen, Y.-C.: Oceanic typhoon rainfall estimation using Advanced Microwave Sounding Unit-A data, 1477
Li, F., *see* Shen, C.
Li, G., *see* Lu, D.
Li, J., *see* Zhu, M.
Li, Q., *see* Li, Z.
Li, Q., *see* Zhang, X.
Li, X., *see* Chen, Y.
Li, Y. M., *see* Jiao, H. B.
Li, Y., *see* Li, Z.
Li, Z. and Bao, Z.: A novel approach for wide-swath and high-resolution SAR image generation from distributed small spaceborne SAR systems, 1015
Li, Z. W., Ding, X. L., Huang, C., Zheng, D. W., Zou, W. B. and Shea, Y. K.: Filtering method for SAR interferograms with strong noise, 2991
Li, Z.-L., *see* Zhang, X.
Li, Z., *see* Rao, K. S.
Li, Z., *see* Wang, W.
Li, Z., *see* Yang, H.

Li, Z., Muller, J.-P., Cross, P., Albert, P., Fischer, J. and Bennartz, R.: Assessment of the potential of MERIS near-infrared water vapour products to correct ASAR interferometric measurements, 349
Li, Z., Yu, G., Li, Q., Fu, Y. and Li, Y.: Effect of spatial variation on areal evapotranspiration simulation in Haibei, Tibet plateau, China, 3487
Liang, S., *see* Sun, W.
Libertà, G., *see* Gabban, A.
Liira, J., Püssa, K. and Peterson, U.: The radiance contrast of forest-to-clearcut edges on a medium resolution Landsat Enhanced Thematic Mapper satellite winter image, 2753
Lillo-Saavedra, M. and Gonzalo, C.: Spectral or spatial quality for fused satellite imagery? A trade-off solution using the wavelet *à trous* algorithm, 1453
Limpitlaw, D. and Gens, R.: Dambo mapping for environmental monitoring using Landsat TM and SAR imagery: Case study in the Zambian Copperbelt, 4839
Lin, H., *see* Chen, J.
Lin, H., *see* Chen, J.
Lindström, J., Eklundh, L., Holst, J. and Holst, U.: Influence of solar zenith angles on observed trends in the NOAA/NASA 8-km Pathfinder normalized difference vegetation index over the African Sahel, 1973
Linke, J., *see* Wulder, M. A.
Lira, J. and Rodriguez, A.: A divergence operator to quantify texture from multi-spectral satellite images, 2683
Lira, J.: Segmentation and morphology of open water bodies from multispectral images, 4015
Lira, Y. D., Marroquín, J. L. and Hernández, A.: Monogenic bandpass filters for the segmentation of urban zones in satellite sensor imagery, 2087
Litherland, A., *see* Dyond, J. R.
Liu, A., *see* Chen, J.
Liu, C., *see* Zhang, Y.
Liu, J. G. and Haselwimmer, C. E.: Co-seismic ruptures found up to 60 km south of the Kunlun fault after 14 November 2001, Ms 8.1, Kokoxili earthquake using Landsat-7 ETM+ imagery, 4461
Liu, J. G., Mason, P. J. and Ma, J.: Measurement of the left-lateral displacement of Ms 8.1 Kunlun earthquake on 14 November 2001 using Landsat-7 ETM+ imagery, 1875
Liu, L., Wang, J., Bao, Y., Huang, W., Ma, Z. and Zhao, C.: Predicting winter wheat condition, grain yield and protein content using multi-temporal EnviSat-ASAR and Landsat TM satellite images, 737
Liu, Q., *see* Xin, J.
Liu, X., *see* de Leeuw, J.
Liu, Y., *see* Hong, Y.
Liu, Y., Hiyama, T., Kimura, R. and Yamaguchi, Y.: Temporal influences on Landsat-5 Thematic Mapper image in visible band, 3183
Liu, Z., *see* Xie, F.
Logan, G. A., *see* Jones, A. T.
Lohani, B., Mason, D. C., Scott, T. R. and Sreenivas, B.: Extraction of tidal channel networks from aerial photographs alone and combined with laser altimetry, 5
Long, D. G., *see* Ashcraft, I. S.
Lu, D., Weng, Q. and Li, G.: Residential population estimation using a remote sensing derived impervious surface approach, 3553
Lu, D.: The potential and challenge of remote sensing-based biomass estimation, 1297
Luo, G. Y.: Objective image quality measurement by local spatial-frequency wavelet analysis, 5003
Lusch, D., *see* Torbick, N.
Luzi, G., *see* Noferini, L.
Luzi, G., Pieraccini, M., Mecatti, D., Noferini, L., Macaluso, G., Galgaro, A. and Atzeni, C.: Advances in ground-based microwave interferometry for landslide survey: a case study, 2331
Luzio, M. D., *see* Chen, P. Y.

Müller, A., *see* Richter, R.

MA, J., *see* Liu, J. G.
MA, J., *see* Ouyang, Y.
MA, M. and VEROUSTRAETE, F.: Interannual variability of vegetation cover in the Chinese Heihe River Basin and its relation to meteorological parameters, 3473
MA, R., TANG, J. and DAI, J.: Bio-optical model with optimal parameter suitable for Taihu Lake in water colour remote sensing, 4305
MA, R., TANG, J., DAI, J., ZHANG, Y. and SONG, Q.: Absorption and scattering properties of water body in Taihu Lake, China: absorption, 4277
MA, Z., *see* Liu, L.
MAATHUIS, B. H. P., *see* Yan, G.
MACALUSO, G., *see* Luzi, G.
MACFADYEN, S., *see* Wessels, K. J.
MACLEAN, D., *see* Oldford, S.
MADHAVAN, B. B., SASAGAWA, T., TACHIBANA, K. and MISHRA, K. K.: A high-level data fusion and spatial modelling system for change-detection analysis using high-resolution airborne digital sensor data, 3571
MAGNUSSEN, S., *see* Wulder, M. A.
MAHMUD, A. R., *see* Billa, L.
MAIER, S. W., *see* McAtee, B. K.
MAJUMDAR, T. J., *see* Pal, S. K.
MAKTAV, D. and GUTMAN, G.: Preface, 3625
MALENOVSKÝ, Z., ALBRECHTOVÁ, J., LHOTÁKOVÁ, Z., ZURITA-MILLA, R., CLEVERS, J. G. P. W., SCHAEPMAN, M. E. and CUDLÍN, P.: Applicability of the PROSPECT model for Norway spruce needles, 5317
MALTAMO, M., *see* Packalén, P.
MAMANPOUSH, A. R., *see* Akbari, M.
MANANGAN, A., *see* Sklaver, B. A.
MANJUNATH, K. R., PANIGRAHY, S., KUMARI, K., ADHYA, T. K. and PARIHAR, J. S.: Spatiotemporal modelling of methane flux from the rice fields of India using remote sensing and GIS, 4701
MANN, S. and ROTHLEY, K. D.: Technical Note. Sensitivity of Landsat/IKONOS accuracy comparison to errors in photointerpreted reference data and variations in test point sets, 5027
MANNEL, S., PRICE, M. and HUA, D.: Technical Note. A method to obtain large quantities of reference data, 621
MANOUKIS, N., *see* Diuk-Wasser, M. A.
MANSOR, S., *see* Billa, L.
MARROQUÍN, J. L., *see* Lira, Y. D.
MARTHA, T. R., *see* Kumar, K. V.
MARTINS, E., *see* Cabral, A. I. R.
MARTINY, N., CAMBERLIN, P., RICHARD, Y. and PHILIPPON, N.: Compared regimes of NDVI and rainfall in semi-arid regions of Africa, 5201
MAS, J.-F., *see* Yan, G.
MASELLI, F. and CHIESI, M.: Integration of multi-source NDVI data for the estimation of Mediterranean forest productivity, 55
MASINI, N., *see* Lasaponara, R.
MASON, D. C., *see* Lohani, B.
MASON, P. J., *see* Liu, J. G.
MATHER, P. M., *see* Pal, M.
MATHUR, N., *see* Sarup, J.
MATHUR, P., *see* Kulkarni, A. V.
MATSUYAMA, H., *see* Shimamura, Y.
MCCLAIN, C. R., *see* Garcia, V. M. T.
MCCORD, M., *see* Sharma, G.
MCNAIRN, H., *see* Chen, C.
MCATEE, B. K. and MAIER, S. W.: A comparison of algorithms for Near-Real Time water vapour retrieval from MODIS, 5145
MECATTI, D., *see* Luzi, G.
MECATTI, D., *see* Noferini, L.

MACALUSO, G., *see* Noferini, L.
MEJAIL, M. E., *see* Gambini, J.
MELSHEIMER, C., *see* Eriksson, P.
MERCURI, P. A., ENGEL, B. A. and JOHANNSEN, C. J.: Evaluation and accuracy assessment of high-resolution IFSAR DEMs in low-relief areas, 2767
MERINO-DE-MIGUEL, S., *see* González-Alonso, F.
MERRY, C. J., *see* Sharma, G.
MERTENS, K. C., DE BAETS, B. VERBEKE, L. P. C. and DE WULF, R. R.: A sub-pixel mapping algorithm based on sub-pixel/pixel spatial attraction models, 3293
MESSINA, J. P. and DELAMATER, P. L.: Defoliation and the war on drugs in Putumayo, Colombia, 121
MILLER, P. I., SHUTLER, J. D., MOORE, G. F. and GROOM, S. B.: SeaWiFS discrimination of harmful algal bloom evolution, 2287
MILLER, S. D., HADDOCK, S. H. D., ELVIDGE, C. D. and LEE, T. F.: Twenty thousand leagues *over* the seas: the first satellite perspective on bioluminescent 'milky seas', 5131
MILLER, S. D., HAWKINS, J. D., LEE, T. F., TURK, F. J. and RICHARDSON, K.: Operation Iraqi Freedom in MODIS collage, 1279
MILLER, S. D., HAWKINS, J. D., LEE, T. F., TURK, F. J., RICHARDSON, K., KUCIAUSKAS, A. P., KENT, J., WADE, R., SKUPNIEWICZ, C. E., CORNELIUS, J., O'NEAL, J., HAGGERTY, P., SPRIETZER, K., LEGG, G., HENEGAR, J. and SEATON, B.: MODIS provides a satellite focus on Operation Iraqi Freedom, 1285
MILLINGTON, A. C., *see* Bradley, A. V.
MILLS, H., CUTLER, M. E. J. and FAIRBAIRN, D.: Artificial neural networks for mapping regional-scale upland vegetation from high spatial resolution imagery, 2177
MILTON, E. J., *see* Anderson, K.
MILTON, E. J., *see* Anderson, K.
MIRANZADEH, M., *see* Akbari, M.
MISHRA, A. K., *see* Jayappa, K. S.
MISHRA, K. K., *see* Madhavan, B. B.
MISHRA, V. D., *see* Kulkarni, A. V.
MITO, C. O., LANEVE, G., CASTRONUOVO, M. M. and ULIVIERI, C.: Derivation of land surface temperatures from MODIS data using the general split-window technique, 2541
MITRA, D., *see* Jayappa, K. S.
MIYAZAKI, S. and NADAOKA, K.: Inverse estimation of multi-substance concentrations in coastal surface waters based on a four flux model, 393
MOBASHERI, M. R.: Reformation time for the thermal skin layer of the ocean, 5285
MOBLEY, C. D., *see* Dransfeld, S.
MOGHADDAM, M., *see* Diuk-Wasser, M. A.
MOHAMMED, A. J., *see* Patel, N. R.
MOHRI, K., *see* Davidson, G.
MONK, J. G. C., *see* Kirby, N. E.
MONTEIRO, A. M. V., *see* Amaral, S.
MONTEIRO, A. M., *see* Espindola, G. M.
MOON, J. E., *see* Ahn, Y. H.
MOORE, G. F., *see* Miller, P. I.
MOORE, N., *see* Torbick, N.
MORELLI, M. and PIANA, F.: Comparison between remote sensed lineaments and geological structures in intensively cultivated hills (Monferrato and Langhe domains, NW Italy), 4471
MORELRA, M. A., *see* Xavier, A. C.
MORENO-RUIZ, J. A., BARÓN-MARTINEZ, J. and SAGRADO-MARTÍNEZ, J.: Burned data time series for Tropical Africa (1981–2000) with the Daily Tile NOAA/NASA Pathfinder AVHRR 8-km Land dataset, 1119
MORRIS, R. L., *see* Baghzouz, M.
MUOZ, J. C. J., *see* Paolini, L.
MUKHERJEE, A. P. and BANERJEE, D. M.: Comparative assessment of image enhancement techniques for mapping of groundwater-rich alluvial fill zones of western Cuddapah District, Andhra Pradesh, India, 2575
MULLER, J.-P., *see* Li, Z.

MULLER, J.-P., *see* Rao, K. S.
MURAMATSU, K., *see* Zhang, L.
MURINDAGOMO, F., *see* Chamaille-Jammes, S.
MURWIRA, A. and SKIDMORE, A. K.: Monitoring change in the spatial heterogeneity of vegetation cover in an African savanna, 2255
MUSLIM, A. M., FOODY, G. M. and ATKINSON, P. M.: Localized soft classification for super-resolution mapping of the shoreline, 2271
MUTANGA, O. and RUGEGE, D.: Integrating remote sensing and spatial statistics to model herbaceous biomass distribution in a tropical savanna, 3499
MUTHUKUMARAN, M., *see* Sarup, J.
MYINT, S. W.: Urban vegetation mapping using sub-pixel analysis and expert system rules: A critical approach, 2645

NADAOKA, K., *see* Miyazaki, S.
NAKAJI, T., OGUMA, H. and FUJINUMA, Y.: Seasonal changes in the relationship between photochemical reflectance index and photosynthetic light use efficiency of Japanese larch needles, 491
NARASIMHA RAO, P. V. and SESHA SAI, M. V. R.: Clouds over land in Envisat ASAR C-band image, 833
NARVEKAR, P. S., *see* Rao, K. S.
NASTOS, P., *see* Zerefos, C.
NAVALGUND, R. R., *see* Srivastava, H. S.
NAYAR, A., *see* Tatem, A. J.
NEALE, C. M. U., *see* Payero, J. O.
NEALE, C. M. U., *see* Payero, J. O.
NEMMOUR, H. and CHIBANI, Y.: Fuzzy neural network architecture for change detection in remotely sensed imagery, 705
NENCINI, F., *see* Garzelli, A.
NEUBERT, W., *see* Wloczyk, C.
NG, C., *see* Yu, X.
NGIGI, T. G., *see* Ouma, Y. O.
NICHOL, J., HANG, L. K. and SING, W. M.: Empirical correction of low Sun angle images in steeply sloping terrain: a slope-matching technique, 627
NIELSEN, A. A., *see* Canty, M. J.
NIELSEN, T. T., *see* Fensholt, R.
NIKOLAKIS, D., *see* Zerefos, C.
NIKOLAKOPOULOS, K. G., KAMARATAKIS, E. K. and CHRYSOULAKIS, N.: SRTM vs ASTER elevation products. Comparison for two regions in Crete, Greece, 4819
NOFERINI, L., *see* Luzi, G.
NOFERINI, L., PIERACCINI, M., MECATTI, D., MACALUSO, G., LUZI, G. and ATZENI, C.: Long term landslide monitoring by ground-based synthetic aperture radar interferometer, 1893

O'NEAL, J., *see* Miller, S. D.
OGUMA, H., *see* Nakaji, T.
OKEKE, F. and KARNIELI, A.: Methods for fuzzy classification and accuracy assessment of historical aerial photographs for vegetation change analyses. Part I: Algorithm development, 153
OKEKE, F. and KARNIELI, A.: Methods for fuzzy classification and accuracy assessment of historical aerial photographs for vegetation change analyses. Part II: Practical application, 1825
OKI, K., SHAN, L., SARUWATARI, T., SUHAMA, T. and OMASA, K.: Evaluation of supervised classification algorithms for identifying crops using airborne hyperspectral data, 1993
OKLADNIKOV, I. G., *see* Fiorani, L.
OLDFORD, S., LEBLON, B., MACLEAN, D. and FLANNIGAN, M.: Predicting slow-drying fire weather index fuel moisture codes with NOAA-AVHRR images in Canada's northern boreal forests, 3881

OLESEN, F.-S., *see* Romaguera, M.
OLIOSO, A., *see* Hadria, R.
OLSON, J., *see* Torbick, N.
OLSSON, L., *see* Seaquist, J. W.
OMASA, K., *see* Oki, K.
ONDOV, J. M., *see* Varotsos, C. A.
OU, S. C., *see* Hutchison, K.
OUCHI, K., *see* Davidson, G.
OUMA, Y. O. and TATEISHI, R.: A water index for rapid mapping of shoreline changes of five East African Rift Valley lakes: an empirical analysis using Landsat TM and ETM+ data, 3153
OUMA, Y. O., NGIGI, T. G. and TATEISHI, R.: On the optimization and selection of wavelet texture for feature extraction from high-resolution satellite imagery with application towards urban-tree delineation, 73
OUYANG, Y. and MA, J.: Classification of multi-spectral remote sensing data using a local transfer function classifier, 5403
OUYANG, Y. and MA, J.: Land cover classification based on tolerant rough set, 3041
OUYANG, Y., MA, J. and DAI, Q.: Bayesian Multi-net Classifier for classification of remote sensing data, 4943
OZER, P., *see* Hountondji, Y.-C.
ÖZDEN, G., *see* Uça, Z. D.

PÜSSA, K., *see* Liira, J.
PACKALÉN, P., TOKOLA, T., SAASTAMOINEN, J. and MALTAMO, M.: Use of a super-resolution method in interpretation of forests from multiple NOAA/AVHRR images, 5343
PAITHOONWATANAKIJ, K., *see* Intajag, S.
PAL, M. and MATHER, P. M.: Some issues in the classification of DAIS hyperspectral data, 2895
PAL, M.: Error-corrected output coding-based class decomposition approach for remote sensing classification, 2863
PAL, M.: M5 model tree for land cover classification, 825
PAL, M.: Support vector machine-based feature selection for land cover classification: a case study with DAIS hyperspectral data, 2877
PAL, S. K., MAJUMDAR, T. J. and BHATTACHARYA, A. K.: Extraction of linear and anomalous features using ERS SAR data over Singhbhum Shear Zone, Jharkhand using fast Fourier transform, 4513
PALENZUELA, J. M. T., VILAS, L. G. and CUADRADO, M. S.: Use of ASAR images to study the evolution of the *Prestige* oil spill off the Galician coast, 1931
PALMER, A., *see* Kakembo, V.
PALUCCI, A., *see* Fiorani, L.
PANAHI, A., *see* Cheng, Q.
PANDA, S., *see* Choudhury, S.
PANIGRAHY, S., *see* Manjunath, K. R.
PANIGRAHY, S., *see* Patel, P.
PANIGRAHY, S., *see* Ray, S. S.
PANIGRAPHY, R. C., *see* Sasamal, S. K.
PAOLINI, L., GRINGS, F., SOBRINO, J. A., MUÑOZ, J. C. J. and KARSZENBAUM, H.: Radiometric correction effects in Landsat multi-date/multi-sensor change detection studies, 685
PAPA, F., PRIGENT, C., ROSSOW, W. B., LEGRESY, B. and REMY, F.: Inundated wetland dynamics over boreal regions from remote sensing: the use of Topex-Poseidon dual-frequency radar altim eter observations, 4847
PAPAYANNIS, A., *see* Zerefos, C.
PARADISSIS, D., *see* Elias, P.
PARIHAR, J. S., *see* Chaurasia, S.
PARIHAR, J. S., *see* Manjunath, K. R.
PARMIGGIANI, F.: Fluctuations of Terra Nova Bay polynya as observed by active (ASAR) and passive (AMSR-E) microwave radiometers, 2459

PARRINELLO, T. and VAUGHAN, R. A.: On comparing multifractal and classical features in minimum distance classification of AVHRR imagery, 3943
PARTHASARADHI, G. R., *see* Biggs, T. W.
PATEL, N. R., BHATTACHARJEE, B., MOHAMMED, A. J., TANUPRIYA, B. and SAHA, S. K.: Remote sensing of regional yield assessment of wheat in Haryana, India, 4071
PATEL, P., *see* Srivastava, H. S.
PATEL, P., SHANKER SRIVASTAVA, H., PANIGRAHY, S. and SINGH PARIHAR, J.: Comparative evaluation of the sensitivity of multi-polarized multi-frequency SAR backscatter to plant density, 293
PATHAK, V. and DIKSHIT, O.: Conjoint analysis for quantification of relative importance of various factors affecting BPANN classification of urban environment, 4769
PATRA, S. K., SHEKHER, M., SOLANKI, S. S., RAMACHANDRAN, R. and KRISHNAN, R.: A technique for generating natural colour images from false colour composite images, 2977
PAVLAKIS, P., *see* Karathanassi, V.
PAVLI, J., *see* Král, K.
PAVOLONIS, M. J., *see* Evan, A. T.
PAYERO, J. O., NEALE, C. M. U. and WRIGHT, J. L.: Effect of stability correction on remote sensing estimates of near-noon sensible heat flux of alfalfa and tall fescue grass, 307
PAYERO, J. O., NEALE, C. M. U. and WRIGHT, J. L.: Near-noon albedo values of alfalfa and tall fescue grass derived from multispectral data, 567
PEÑUELAS, J., *see* Inoue, Y.
PEARCE, A., FASKEL, F. and HYNDES, G.: Nearshore sea temperature variability off Rottnest Island (Western Australia) derived from satellite data, 2503
PEDUTO, D., *see* Cascini, L.
PEIJUN, S., *see* Yunhao, C.
PELED, A., *see* Beeri, O.
PELLEGRINI, P. F., BUCCI, M., TOMMASINI, M. and INNOCENTI, M.: Monthly averages of sea surface temperature, 2519
PENG, Y.-N., *see* Yang, J.
PEREIRA, J. M. C., *see* Cabral, A. I. R.
PESHWA, V., *see* Sarup, J.
PETERSON, U., *see* Liira, J.
PETLEY, D. N., *see* Ramli, M. F.
PEZZI, L., CALTABIANO, A. and CHALLENOR, P.: Satellite observations of the Pacific tropical instability wave characteristics and their interannual variability, 1581
PHALKE, S., *see* Rao, K. S.
PHAM, T. T. H., *see* Béland, M.
PHILIP, G., *see* Virdi, N. S.
PHILIPPON, N., *see* Martiny, N.
PHILIPS, W., *see* Gautama, S.
PHIPPS, P. C., *see* Boyd, D. S.
PI, L., *see* Shen, C.
PIANA, F., *see* Morelli, M.
PIERACCINI, M., *see* Luzi, G.
PIERACCINI, M., *see* Noferini, L.
PIERDICCA, N., *see* Stramondo, S.
PIGNATTI, S., *see* Lasaponara, R.
PITKÄNEN, J., *see* Korpela, I.
POKHREL, S., *see* Varma, A. K.
PONZONI, F. J., ZULLO JUNIOR, J. and LAMPARELLI, R. A. C.: In-flight absolute calibration of the CBERS-2 IRMSS sensor data, 799
POWELL, K. S., *see* Renzullo, L. J.
PRÉSING, M., *see* Tyler, A. N.
PRASAD, A. K., SINGH, R. P. and SINGH, A.: Seasonal climatology of aerosol optical depth over the Indian subcontinent: trend and departures in recent years, 2323
PRENZEL, B. G. and TREITZ, P.: Spectral and spatial filtering for enhanced thematic change analysis of remotely sensed data, 835
PRESTON, T., *see* Tyler, A. N.
PRICE, M., *see* Mannel, S.

PRIESTNALL, G. and APLIN, P.: Spatial and temporal remote sensing requirements for river monitoring, 2111
PRIGENT, C., *see* Papa, F.
PRINCE, S. D., *see* Wessels, K. J.

QI, J., *see* Torbick, N.
QUINTANILHA, J. A., *see* Amaral, S.
QUINTANO, C., FERNÁNDEZ-MANSO, A., FERNÁNDEZ-MANSO, O. and SHIMABUKURO, Y. E.: Mapping burned areas in Mediterranean countries using spectral mixture analysis from a uni-temporal perspective, 645

RÖDER, A., *see* Kuemmerle, T.
RACLOT, D.: Remote sensing of water levels on floodplains: a spatial approach guided by hydraulic functioning, 2553
RADCLIFFE, G. R., *see* Williams, M. R.
RAMACHANDRAN, R., *see* Patra, S. K.
RAMASAMY, S. M.: Review article. Remote sensing and active tectonics of South India, 4397
RAMLI, M. F. and PETLEY, D. N.: Best band combination for landslide studies in temperate environments, 1219
RANSIBRAHMANAKUL, V. and STUMPF, R. P.: Correcting ocean colour reflectance for absorbing aerosols, 1759
RAO, K. H., *see* Smitha, A.
RAO, K. S., *see* Al Jassar, H. K.
RAO, K. S., AL JASSAR, H. K., NARVEKAR, P. S., SHARDUL, N. B., SABBAH, I. and DANIEL, V.: An assessment of brightness temperature data quality of MSMR of IRS-P4 satellite, 277
RAO, K. S., AL-JASSAR, H. K., PHALKE, S., RAO, Y. S., MULLER, J.-P. and LI, Z.: A study on the applicability of repeat-pass SAR interferometry for generating DEMs over several Indian test sites, 593
RAO, M. V., *see* Jena, B.
RAO, M. V., *see* Jena, B.
RAO, Y. S., *see* Rao, K. S.
RAY, S. S., DAS, G., SINGH, J. P. and PANIGRAHY, S.: Evaluation of hyperspectral indices for LAI estimation and discrimination of potato crop under different irrigation treatments, 5375
RAYCHAUDHURI, B. and BHATTACHARYYA, S.: Fuzzy analysis of laboratory spectroscopy of vegetation for remote sensing applications, 191
REES, W. G., *see* Arnold, N. S.
REIS, I. A., *see* Espindola, G. M.
REMMEL, T. K. and CSILLAG, F.: Mutual information spectra for comparing categorical maps, 1425
REMMEL, T. K., *see* Csillag, F.
REMY, F., *see* Papa, F.
RENZULLO, L. J., BLANCHFIELD, A. L., GUILLERMIN, R., POWELL, K. S. and HELD, A. A.: Comparison of PROSPECT and HPLC estimates of leaf chlorophyll contents in a grapevine stress study, 817
REY, J. S., *see* Cayuela, L.
REYNIERS, M. and VRINDTS, E.: Measuring wheat nitrogen status from space and ground-based platform, 547
REYNIERS, M., WALVOORT, D. J. J. and DE BAARDEMAAKER, J.: A linear model to predict with a multi-spectral radiometer the amount of nitrogen in winter wheat, 4159
RIAN, S., *see* Diuk-Wasser, M. A.
RICHARD, Y., *see* Martiny, N.
RICHARDSON, K., *see* Miller, S. D.
RICHARDSON, K., *see* Miller, S. D.
RICHTER, R., *see* Wloczyk, C.
RICHTER, R., *see* Wloczyk, C.
RICHTER, R., SCHLÄPFER, D. and MÜLLER, A.: An automatic atmospheric correction algorithm for visible/NIR imagery, 2077

Ringrose, S., *see* Hamandawana, H.
Rizzi, R., Rudorff, B. F. T., Shimabukuro, Y. E. and Doraiswamy, P. C.: Assessment of MODIS LAI retrievals over soybean crop in Southern Brazil, 4091
Robinson, I. S., *see* Dransfeld, S.
Rodriguez, A., *see* Lira, J.
Rokos, D., *see* Karathanassi, V.
Roldán-Zamarrón, A., *see* González-Alonso, F.
Rollin, E. M., *see* Anderson, K.
Romaguera, M., Sobrino, J. A. and Olesen, F.-S.: Estimation of sea surface temperature from SEVIRI data: algorithm testing and comparison with AVHRR products, 5081
Romo, A., *see* Vicente-Serrano, S. M.
Ronchetti, F., *see* Corsini, A.
Rossetto, R., *see* Almeida, T. I. R.
Rossow, W. B., *see* Papa, F.
Rothley, K. D., *see* Mann, S.
Rowntree, K., *see* Kakembo, V.
Roy, P. S., *see* Kumar, K. V.
Rudorff, B. F. T., *see* Rizzi, R.
Rudorff, B. F. T., *see* Xavier, A. C.
Rugege, D., *see* Mutanga, O.
Rupali, S. P., *see* Vethamony, P.

Sánchez Azofeifa, G. A., *see* Jensen, O. C.
Sánchez-Azofeifa, G. A. and Castro-Esau, K.: Canopy observations on the hyperspectral properties of a community of tropical dry forest lianas and their host trees, 2101
Süzen, M. L., *see* Domaç, A.
Süzen, M. L., *see* Yesilnacar, E.
Saastamoinen, J., *see* Packalén, P.
Sabbah, I., *see* Al Jassar, H. K.
Sabbah, I., *see* Rao, K. S.
Safia, A., Belbachir, M. F. and Iftene, T.: La transformation en ondelettes pour l'extraction de la texture-couleur. Application à la classification combinée des images (HRV) de SPOT, 3977
Sagrado-Martínez, J., *see* Moreno-Ruiz, J. A.
Saha, S. K., *see* Patel, N. R.
Sahu, B. K., *see* Jena, B.
Saito, G., *see* Davidson, G.
Salemi, H. R., *see* Akbari, M.
Salimath, S. B., *see* Sethi, M.
Samimi, C., *see* Wagenseil, H.
Samson, G., *see* Bélanger, M.-C.
San-Miguel-Ayanz, J., *see* Gabban, A.
San-Miguel-Ayanz, J., *see* Gabban, A.
Sanchez-Hernandez, C., *see* Boyd, D. S.
Sandeep, S., Chandrasekar, A. and Singh, D.: The impact of assimilation of AMSU data for the prediction of a tropical cyclone over India using a mesoscale model, 4621
Santoro, M., Eriksson, L., Askne, J. and Schmullius, C.: Assessment of stand-wise stem volume retrieval in boreal forest from JERS-1 L-band SAR backscatter, 3425
Santos, A. M. P., Fiúza, A. F. G. and Laurs, R. M.: Influence of SST on catches of swordfish and tuna in the Portuguese domestic longline fishery, 3131
Saraf, A. K. and Choudhury, S.: Himalayas—the abode of snow—as seen from satellites, 1739
Saraf, A. K., *see* Choudhury, S.
Sarah, P., *see* Katra, I.
Saran, A. K., *see* Vethamony, P.
Sarkar, A., *see* Vethamony, P.
Sarup, J., Muthukumaran, M., Mathur, N. and Peshwa, V.: Study of tectonics in relation

to the seismic activity of the Dalvat area, Nasik District, Maharashtra, India using remote sensing and GIS techniques, 2371
SARUWATARI, T., *see* Oki, K.
SASAGAWA, T., *see* Madhavan, B. B.
SASAMAL, S. K. and PANIGRAPHY, R. C.: Influence of eddies on the migratory routes of the sea turtles in the Bay of Bengal, 3115
SASAMAL, S. K.: Island mass effect around the Maldives during the winter months of 2003 and 2004, 5087
SASAMAL, S. K.: Radiation field around an aircraft over the sea as observed with high-resolution IRS data, 1
SASAMAL, S. K., *see* Jena, B.
SATHEESH, S. K., DEEPSHIKHA, S. and SRINIVASAN, J.: Impact of dust aerosols on Earth–atmosphere clear-sky albedo and its short wave radiative forcing over African and Arabian regions, 1691
SCHAEPMAN, M. E., *see* Malenovský, Z.
SCHLÄPFER, D., *see* Richter, R.
SCHMIDT, K., *see* de Leeuw, J.
SCHMIDT, M., *see* Colditz, R. R.
SCHMULLIUS, C., *see* Santoro, M.
SCOTT, C. A., *see* Biggs, T. W.
SCOTT, T. R., *see* Lohani, B.
SEAQUIST, J. W., OLSSON, L., ARDÖ, J. and EKLUNDH, L.: Broad-scale increase in NPP quantified for the African Sahel, 1982–1999, 5115
SEATON, B., *see* Miller, S. D.
SEIZ, G., DAVIES, R. and GRÜN, A.: Stereo cloud-top height retrieval with ASTER and MISR, 1839
SELTZ, R., *see* Hegarat-Mascle, S. L.
SENGUPTA, D., *see* Smitha, A.
SENTHIVEL, T., *see* Jaishanker, R.
SESHA SAI, M. V. R., *see* Narasimha Rao, P. V.
SETHI, M., DASOG, G. S., VAN LIESHOUT, A. and SALIMATH, S. B.: Salinity appraisal using IRS images in Shorapur Taluka, Upper Krishna Irrigation Project, Phase I, Gulbarga District, Karnataka, India, 2917
SHAKER, A., *see* Shi, W.
SHAN, L., *see* Oki, K.
SHANKER SRIVASTAVA, H., *see* Patel, P.
SHANMUGAM, P., *see* Ahn, Y. H.
SHAO, Y., *see* Chen, J.
SHAO, Y., *see* Chen, J.
SHARDUL, N. B., *see* Rao, K. S.
SHARMA, G., MERRY, C. J., GOEL, P. and MCCORD, M.: Vehicle detection in 1-m resolution satellite and airborne imagery, 779
SHEA, Y. K., *see* Li, Z. W.
SHEBERSTOV, S. V., *see* Karabashev, G. S.
SHEKHER, M., *see* Patra, S. K.
SHEN, C., FAN, J., PI, L. and LI, F.: Delineating lakes and enclosed islands in satellite imagery by geodesic active contour model, 5253
SHEN, Y., *see* Xiao, J.
SHEN, Y., *see* Zhang, Y.
SHEPHERD, J. D., *see* Dymond, J. R.
SHI, J., *see* Yang, H.
SHI, P., *see* Chen Y.
SHI, W. and SHAKER, A.: The Line-Based Transformation Model (LBTM) for image-to-image registration of high-resolution satellite image data, 3001
SHILLINGTON, F. A., *see* Veitch, J. A.
SHIMABUKURO, Y. E., *see* Quintano, C.
SHIMABUKURO, Y. E., *see* Rizzi, R.
SHIMABUKURO, Y. E., *see* Xavier, A. C.
SHIMAMURA, Y., IZUMI, T. and MATSUYAMA, H.: Evaluation of a useful method to identify

snow-covered areas under vegetation – comparisons among a newly proposed snow index, normalized difference snow index, and visible reflectance, 4867
SHUTLER, J. D., *see* Miller, P. I.
SIGNORINI, S., *see* Garcia, V. M. T.
SIMON, B., *see* Xavier, V. F.
SING, W. M., *see* Nichol, J.
SINGH PARIHAR, J., *see* Patel, P.
SINGH, A., *see* Prasad, A. K.
SINGH, D., *see* Sandeep, S.
SINGH, D.: Scatterometer performance with polarization discrimination ratio approach to retrieve crop soybean parameter at X-band, 4101
SINGH, J. P., *see* Ray, S. S.
SINGH, R. P., *see* Prasad, A. K.
SINGH, R., *see* Xavier, V. F.
SINGH, R., JOSHI, P. C. and KISHTAWAL, C. M.: A new method to determine near surface air temperature from satellite observations, 2831
SINGH, S. K., *see* Kulkarni, A. V.
SKIDMORE, A. K., *see* de Leeuw, J.
SKIDMORE, A. K., *see* Ferwerda, J. G.
SKIDMORE, A. K., *see* Murwira, A.
SKLAVER, B. A., MANANGAN, A., BULLARD, S., SVANBERG, A. and HANDZEL, T.: Technical note and Cover: Rapid imagery through kite aerial photography in a complex humanitarian emergency, 4709
SKUPNIEWICZ, C. E., *see* Miller, S. D.
SMITH, A. M. S., *see* Strand, E. K.
SMITH, C. J., *see* Jones, A. T.
SMITHA, A., RAO, K. H. and SENGUPTA, D.: Effect of May 2003 tropical cyclone on physical and biological processes in the Bay of Bengal, 5301
SOARES, A., *see* Carvalho, J.
SOBRINO, J. A., *see* Jimnez-Muñoz, J. C.
SOBRINO, J. A., *see* Paolini, L.
SOBRINO, J. A., *see* Romaguera, M.
SOGOBA, N., *see* Diuk-Wasser, M. A.
SOKPON, N., *see* Hountondji, Y.-C.
SOLANKI, S. S., *see* Patra, S. K.
SONG, D., *see* Tan, K.
SONG, Q., *see* Ma, R.
SOROOSHIAN, S., *see* Hong, Y.
SOUDANI, K., *see* Davi, H.
SOUZA JR, C. M., *see* Brandão Jr, A. O.
SPRIETZER, K., *see* Miller, S. D.
SREENIVAS, B., *see* Lohani, B.
SRIDHAR, V. N., *see* Jaishanker, R.
SRINIVASAN, J., *see* Satheesh, S. K.
SRIVASTAVA, H. S., PATEL, P. and NAVALGUND, R. R.: Incorporating soil texture in soil moisture estimation from extended low-1 beam mode RADARSAT-1 SAR data, 2587
SRIVASTAVA, P. K. and BHATTACHARYA, A. K.: Groundwater assessment through an integrated approach using remote sensing, GIS and resistivity techniques: a case study from a hard rock terrain, 4599
STACH, N., *see* Hegarat-Mascle, S. L.
STATHAKIS, D. and VASILAKOS, A.: Satellite image classification using granular neural networks, 3991
STEIN, A., *see* Ferwerda, J. G.
STEINNOCHER, K., *see* Colditz, R. R.
STERZAI, P., *see* Coren, F.
STERZAI, P., *see* Corsini, A.
STISEN, S., *see* Fensholt, R.
STRAMONDO, S., BIGNAMI, C., CHINI, M., PIERDICCA, N. and TERTULLIANI, A.: Satellite radar

and optical remote sensing for earthquake damage detection: results from different case studies, 4433
STRAND, E. K., SMITH, A. M. S., BUNTING, S. C., VIERLING, L. A., HANN, D. B. and GESSLER, P. E.: Wavelet estimation of plant spatial patterns in multitemporal aerial photography, 2049
STRUNZ, G., *see* Colditz, R. R.
STUMPF, R. P., *see* Ransibrahmanakul, V.
SU, F.-C., HO, C.-R., ZHENG, Q., KUO, N.-J. and CHEN, C.-T.: Satellite chlorophyll retrievals with a bipartite artificial neural network model, 1563
SU, H., *see* Wang, W.
SU, Z. B., *see* Wen, J.
SUDHEESH, K., *see* Vethamony, P.
SUHAMA, T., *see* Oki, K.
SUN, H., *see* Zhang, Y.
SUN, W., XU, G., GONG, P. and LIANG, S.: Review Article. Fractal analysis of remotely sensed images: A review of methods and applications, 4963
SUN, X., *see* Wang, W.
SUTTON, A. J., *see* Fisher, T. R.
SVAB, E., *see* Tyler, A. N.
SVANBERG, A., *see* Sklaver, B. A.
SYKIOTI, O., *see* Elias, P.

TACHIBANA, K., *see* Madhavan, B. B.
TAMÁS, J. and LÉNÁRT, C.: Analysis of a small agricultural watershed using remote sensing techniques, 3727
TAMURA, M., *see* Yamano, H.
TAN, K., WAN, Y., ZHOU, X., SONG, D. and DUAN, Q.: The application of remote sensing technology in the archaeological study of the Mausoleum of Emperor Qinshihuang, 3347
TANG, J., *see* Ma, R.
TANG, J., *see* Ma, R.
TANG, Y., *see* Zhang, Y.
TANUPRIYA, B., *see* Patel, N. R.
TARCHI, D., *see* Corsini, A.
TATEISHI, R., *see* Ouma, Y. O.
TATEISHI, R., *see* Ouma, Y. O.
TATEISHI, R., *see* Xiao, J.
TATEISHI, R., *see* Zhu, L.
TATEM, A. J., NAYAR, A. and HAY, S. I.: Scene selection and the use of NASA's global orthorectified Landsat dataset for land cover and land use change monitoring, 3073
TATNALL, A. R., *see* Dransfeld, S.
TAYLOR, C. E., *see* Diuk-Wasser, M. A.
TELESCA, L. and LASAPONARA, R.: Fire-induced variability in satellite SPOT-VGT NDVI vegetational data, 3087
TELESCA, L., *see* Lasaponara, R.
TERTULLIANI, A., *see* Stramondo, S.
TESTUT, C.-E., *see* Berline, L.
THANKAPPAN, M., *see* Jones, A. T.
THENKABAIL, P. S., *see* Biggs, T. W.
THOMAS, A., *see* Keutterling, A.
THOMAS, C. J., *see* Dean, A. M.
THOMAS, W., *see* Zerefos, C.
THOMASKUTTY, A. V., *see* Jaishanker, R.
THORNTON, M. W., ATKINSON, P. M. and HOLLAND, D. A.: Sub-pixel mapping of rural land cover objects from fine spatial resolution satellite sensor imagery using super-resolution pixel-swapping, 471
TIAN, G., *see* Xin, J.
TISOT, D. A., *see* Galvão, L. S.
TOKOLA, T., *see* Packalén, P.

Tommasini, M., *see* Pellegrini, P. F.
Tong, Q., *see* Zhang, B.
Topouzelis, K., *see* Karathanassi, V.
Torabi, M., *see* Akbari, M.
Torbick, N., Lusch, D., Qi, J., Moore, N., Olson, J. and Ge, J.: Developing land use/land cover parameterization for climate-land modelling in East Africa, 4227
Toure, M. B., *see* Diuk-Wasser, M. A.
Traore, S. F., *see* Diuk-Wasser, M. A.
Treitz, P., *see* Prenzel, B. G.
Tripathi, N. K., *see* Kassahun, D.
Trlica, M. J., *see* Vanamburg, L. K.
Trotter, C. M., *see* Guo, J. M.
Troy, A., *see* Zhou, W.
Tucker, C. J., *see* Karnieli, A.
Turk, F. J., *see* Miller, S. D.
Turk, F. J., *see* Miller, S. D.
Turral, H. N., *see* Biggs, T. W.
Tyler, A. N., Svab, E., Preston, T., Présing, M. and Kovács, W. A.: Remote sensing of the water quality of shallow lakes: A mixture modelling approach to quantifying phytoplankton in water characterized by high-suspended sediment, 1521

Uça, Z. D., Erbek, F. S., Kuşak, L., Yaşa, F. and Özden, G.: The use of optic and radar satellite data for coastal environments, 3739
Ucuncuoglu, E., Arli, O. and Eronat, A. H.: Evaluating the impact of coastal land uses on water-clarity conditions from Landsat TM/ETM+ imagery: Candarli Bay, Aegean Sea, 3627
Ulivieri, C., *see* Mito, C. O.
Uratsuka, S., *see* Davidson, G.

Van Arsdale, R. B., *see* Wang, F.
Van Dijk, P. M., *see* Yan, G.
Van Gorp, S., *see* Elias, P.
Van Lieshout, A., *see* Sethi, M.
Van Zyl, D., *see* Wessels, K. J.
Vanamburg, L. K., Trlica, M. J., Hoffer, R. M. and Weltz, M. A.: Ground based digital imagery for grassland biomass estimation, 939
Vanderstraete, T., Goossens, R. and Ghabour, T. K.: The use of multi-temporal Landsat images for the change detection of the coastal zone near Hurghada, Egypt, 3645
Varma, A. K., Pokhrel, S., Gairola, R. M. and Agarwal, V. K.: Study of geophysical parameters associated with the Orissa super cyclone using active and passive microwave remote sensing measurements, 3753
Varotsos, C. A., Ondov, J. M., Cracknell, A. P., Efstathiou, M. N. and Assimakopoulos, M.-N.: Long-range persistence in global Aerosol Index dynamics, 3593
Varotsos, C., *see* Zerefos, C.
Vasconcelos, M. J. P., *see* Cabral, A. I. R.
Vasilakos, A., *see* Stathakis, D.
Vaughan, R. A., *see* Parrinello, T.
Veitch, J. A., Florenchie, P. and Shillington, F. A.: Seasonal and interannual fluctuations of the Angola-Benguela Frontal Zone (ABFZ) using 4.5 km resolution satellite imagery from 1982 to 1999, 987
Verbeke, L. P. C., *see* Mertens, K. C.
Veroustraete, F., *see* Ma, M.
Verron, J., *see* Berline, L.
Vethamony, P., Sudheesh, K., Rupali, S. P., Babu, M. T., Jayakumar, S., Saran, A. K., Basu, S. K., Kumar, R. and Sarkar, A.: Wave modelling for the north Indian Ocean using MSMR analysed winds, 3767
Vettorazzi, C. A., *see* Ferraz, S. F. B.

VIAU, A. A., *see* Bélanger, M.-C.
VIAU, A. A., *see* Jand, J.-D.
VIAU, A. A., *see* Jang, J.-D.
VICENTE-SERRANO, S. M., CUADRAT-PRATS, J. M. and ROMO, A.: Early prediction of crop production using drought indices at different time-scales and remote sensing data: application in the Ebro Valley (north-east Spain), 509
VIEGAS, D. X., *see* Gabban, A.
VIERLING, L. A., *see* Strand, E. K.
VILAS, L. G., *see* Palenzuela, J. M. T.
VIRDI, N. S., PHILIP, G. and BHATTACHARYA, S.: Neotectonic activity in the Markanda and Bata river basins, Himachal Pradesh, NW Himalaya: A morphotectonic approach, 2093
VRINDTS, E., *see* Reyniers, M.
VON HOYNINGEN-HUENE, W., *see* Lee, K. H.

WADE, R., *see* Miller, S. D.
WAGENSEIL, H. and SAMIMI, C.: Assessing spatio-temporal variations in plant phenology using Fourier analysis on NDVI time series: results from a dry savannah environment in Namibia, 3455
WALVOORT, D. J. J., *see* Reyniers, M.
WAN, H., *see* Zhang, X.
WAN, Y., *see* Tan, K.
WANG, F., HAN, L., KUNG, H.-T., and VAN ARSDALE, R. B.: Applications of Landsat-5 TM imagery in assessing and mapping water quality in Reelfoot Lake, Tennessee, 5269
WANG, G., *see* Anderson, A. B.
WANG, H., *see* Ellis, E. C.
WANG, J., *see* Liu, L.
WANG, R. *see* Zhong, J.
WANG, S., *see* Zhou, W.
WANG, W., SUN, X., ZHANG, R., LI, Z., ZHU, Z. and SU, H.: Multi-layer perceptron neural network based algorithm for estimating precipitable water vapour from MODIS NIR data, 615
WANG, Y., *see* Zhang, J.
WARNER, T. A., *see* Lee, J. Y.
WATT, P. J., *see* Donoghue, D. N. M.
WEHRMANN, T., *see* Colditz, R. R.
WEI, Y. C., *see* Jiao, H. B.
WELTZ, M. A., *see* Vanamburg, L. K.
WEN, J., JACKSON, T. J., BINDLISH, R. and SU, Z. B.: Evaluation of the Oceansat-1 Multi-frequency Scanning Microwave Radiometer and its potential for soil moisture retrieval, 3781
WENG, Q., *see* Lu, D.
WESSELS, K. J., PRINCE, S. D., ZAMBATIS, N., MACFADYEN, S., FROST, P. E. and VAN ZYL, D.: Relationship between herbaceous biomass and 1-km^2 Advanced Very High Resolution Radiometer (AVHRR) NDVI in Kruger National Park, South Africa, 951
WHITE, J. C., *see* Wulder, M. A.
WHITE, K., *see* Charlton, M. B.
WILLIAMS, A. K., *see* Jones, A. T.
WILLIAMS, M. R., FISHER, T. R., BOYNTON, W. R., CERCO, C. F., KEMP, M. W., ESHLEMAN, K. N., KIM, S-C., HOOD, R. R., FISCUS, D. A. and RADCLIFFE, G. R.: An integrated modelling system for management of the Patuxent River estuary and basin, Maryland, USA, 3705
WILLIAMS, R. N., *see* Collings, A.
WLOCZYK, C. and RICHTER, R.: Estimation of incident solar radiation on the ground from multispectral satellite sensor imagery, 1253
WLOCZYK, C., RICHTER, R., BORG, E. and NEUBERT, W.: Sea and lake surface temperature retrieval from Landsat thermal data in Northern Germany, 2489
WOLFF, E., *see* Carleer, A. P.
WON, J.-S., *see* Hong, S.-H.
WONG, E., *see* Hutchison, K.

WRIGHT, J. L., *see* Payero, J. O.
WRIGHT, J. L., *see* Payero, J. O.
WU, X., *see* Zhang, T.
WULDER, M. A., FRANKLIN, S. E., WHITE, J. C., LINKE, J. and MAGNUSSEN, S.: An accuracy assessment framework for large-area land cover classification products derived from medium-resolution satellite data, 663

XAVIER, A. C., RUDORFF, B. F. T., SHIMABUKURO, Y. E., BERKA, L. M. S. and MORELRA, M. A.: Multi-temporal analysis of MODIS data to classify sugarcane crop, 755
XAVIER, V. F., CHANDRASEKAR, A., SINGH, R. and SIMON, B.: The impact of assimilation of MODIS data for the prediction of a tropical low-pressure system over India using a mesoscale model, 4655
XIANGMIN, Z., *see* Yan, G.
XIAO, J., SHEN, Y., TATEISHI, R. and BAYAER, W.: Development of topsoil grain size index for monitoring desertification in arid land using remote sensing, 2411
XIAOBING, L., *see* Yunhao, C.
XIE, F., GU, W., HA, S., CUI, W. J., CHEN, W. B., ZHOU, C. G., HUANG, S. Q. and LIU, Z.: An experimental study on the spectral characteristics of one year-ol sea ice in the Bohai Sea, China, 3057
XIN, J., TIAN, G., LIU, Q. and CHEN, L.: Combining vegetation index and remotely sensed temperature for estimation of soil moisture in China, 2071
XIONG, T., *see* Yang, J.
XU, G., *see* Sun, W.
XU, H.: Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery, 3025
XU, J., *see* Zhu, M.

YAŞA, F., *see* Uça, Z. D.
YAMAGUCHI, Y., *see* Liu, Y.
YAMANO, H., CHEN, J., ZHANG, Y. and TAMURA, M.: Relating photosynthesis of biological soil crusts with reflectance: preliminary assessment based on a hydration experiment, 5395
YAN, G., *see* Zhang, X.
YAN, G., MAS, J.-F., MAATHUIS, B. H. P., XIANGMIN, Z. and VAN DIJK, P. M.: Comparison of pixel-based and object-oriented image classification approaches—a case study in a coal fire area, Wuda, Inner Mongolia, China, 4039
YANG, H., SHI, J., LI, Z. and GUO, H.: Temporal and spatial soil moisture change pattern detection in an agricultural area using multi-temporal Radarsat ScanSAR data, 4199
YANG, J., *see* Jubai, A.
YANG, J., XIONG, T. and PENG, Y.-N.: Polarimetric SAR image classification by using generalized optimization of polarimetric contrast enhancement, 3413
YANG, L., *see* Chen, J.
YANG, L., *see* Chen, J.
YANG, L., *see* de Leeuw, J.
YASSAGHI, A.: Integration of Landsat imagery interpretation and geomagentic data on verification of deep-seated transverse fault lineaments in SE Zagros, Iran, 4529
YESILNACAR, E. and SÜZEN, M. L.: A land-cover classification for landslide susceptibility mapping by using feature components, 253
YIN, Q., *see* Zhu, S.-Y.
YOUNG, N., *see* Collings, A.
YU, G., *see* Li, Z.
YU, Q., *see* Zhang, Y.
YU, X. and NG, C.: An integrated evaluation of landscape change using remote sensing and landscape metrics: a case study of Panyu, Guangzhou, 1075
YUN, C.-X., *see* Han, Z.
YUNHAO, C., LEI, D., JING, L., XIAOBING, L. and PEIJUN, S.: A new wavelet-based image fusion method for remotely sensed data, 1465
YÜRÜR, M. T.: The positive temperature anomaly as detected by Landsat TM data in the eastern Marmara Sea (Turkey): possible link with the 1999 Izmit earthquake, 1205

Zambatis, N., *see* Wessels, K. J.
Zeng, B., *see* Chen, Z.
Zeni, G., *see* Cascini, L.
Zerefos, C., Nastos, P., Balis, D., Papayannis, A., Kelepertsis, A., Kannelopoulou, E., Nikolakis, D., Eleftheratos, C., Thomas, W. and Varotsos, C.: A complex study of Etna's volcanic plume from ground-based, *in situ* and space-borne observations, 1855
Zha, Y., *see* Jiao, H. B.
Zhang, B., Jia, X., Chen, Z. and Tong, Q.: A patch-based image classification by integrating hyperspectral data with GIS, 3337
Zhang, D., *see* Lan, Z.
Zhang, J. and Wang, Y.: A pixel-based method to estimate urban compactness and its preliminary application, 5437
Zhang, L., *see* Zhang, L.
Zhang, L., Furumi, S., Muramatsu, K., Fujiwara, N., Daigo, M. and Zhang, L.: Sensor-independent analysis method for hyperspectral data based on the pattern decomposition method, 4899
Zhang, R., *see* Wang, W.
Zhang, T., Cen, M., Zhou, G. and Wu, X.: A new method for debris flow detection using multi-temporal DEMs without ground control points, 4911
Zhang, X., Yan, G., Li, Q., Li, Z.-L., Wan, H. and Guo, Z.: Evaluating the fraction of vegetation cover based on NDVI spatial scale correction model, 5361
Zhang, Y., *see* Ma, R.
Zhang, Y., *see* Yamano, H.
Zhang, Y., Heipke, C., Butenuth, M. and Hu, X.: Automatic extraction of wind erosion obstacles by integration of GIS data, DSM and stereo images, 1677
Zhang, Y., Liu, C., Lei, Y., Tang, Y., Yu, Q., Shen, Y. and Sun, H.: An integrated algorithm for estimating regional latent heat flux and daily evapotranspiration, 129
Zhao, C., *see* Liu, L.
Zhao, Z., *see* Chen, Z.
Zheng, D. W., *see* Li, Z. W.
Zheng, Q., *see* Su, F.-C.
Zhong, J. and Wang, R.: Multi-temporal remote sensing change detection based on independent component analysis, 2055
Zhou, C. G., *see* Xie, F.
Zhou, G., *see* Zhang, T.
Zhou, W., Wang, S., Zhou, Y. and Troy, A.: Mapping the concentrations of total suspended matter in Lake Taihu, China, using Landsat-5 TM data, 1177
Zhou, X., *see* Tan, K.
Zhou, Y., *see* Zhou, W.
Zhu, L. and Tateishi, R.: Fusion of multisensor multitemporal satellite data for land cover mapping, 903
Zhu, M., Jiang, N., Li, J., Xu, J. and Fan, Y.: The effects of sensor spatial resolution and changing grain size on fragmentation indices in urban landscape, 4791
Zhu, S.-Y., Yin, Q. and Kuang, D.-B.: Using characteristic spectral bands of OMIS1 imaging spectrometer to retrieve urban land surface temperature, 1661
Zhu, Z., *see* Wang, W.
Zou, W. B., *see* Li, Z. W.
Zribi, M., *see* Baghdadi, N.
Zribi, M., *see* Baghdadi, N.
Zribi, M., *see* Baghdadi, N.
Zullo Junior, J., *see* Ponzoni, F. J.
Zurita-Milla, R., *see* Malenovský, Z.

CONTENTS OF VOLUME 27

NUMBERS 1–2

Cover: Radiation field around an aircraft over the sea as observed with high-resolution IRS data
S. K. Sasamal 1

Extraction of tidal channel networks from aerial photographs alone and combined with laser altimetry
B. Lohani, D. C. Mason, T. R. Scott and B. Sreenivas 5

Multi-frequency scatterometer measurements on water surfaces agitated by artificial and natural rain
N. Braun and M. Gade 27

The role of topographic correction in mapping recently burned Mediterranean forest areas from LANDSAT TM images
I. Z. Gitas and B. J. Devereux 41

Integration of multi-source NDVI data for the estimation of Mediterranean forest productivity
F. Maselli and M. Chiesi 55

On the optimization and selection of wavelet texture for feature extraction from high-resolution satellite imagery with application towards urban-tree delineation
Yashon O. Ouma, T. G. Ngigi and R. Tateishi 73

Lacunarity analysis to determine optimum extents for sample-based spatial information extraction from high-resolution forest imagery
C. R. Butson and D. J. King 105

Defoliation and the war on drugs in Putumayo, Colombia
J. P. Messina and P. L. Delamater 121

An integrated algorithm for estimating regional latent heat flux and daily evapotranspiration
Y. Zhang, C. Liu, Y. Lei, Y. Tang, Q. Yu, Y. Shen and H. Sun 129

Methods for fuzzy classification and accuracy assessment of historical aerial photographs for vegetation change analyses. Part I: Algorithm development
F. Okeke and A. Karnieli 153

Mapping unofficial roads with Landsat images: a new tool to improve the monitoring of the Brazilian Amazon rainforest
A. O. Brandão Jr. and C. M. Souza Jr. 177

Fuzzy analysis of laboratory spectroscopy of vegetation for remote sensing applications
B. Raychaudhuri and S. Bhattacharyya 191

Automatic image segmentation using fuzzy hit or miss and homogeneity index
S. Intajag, K. Paithoonwatanakij and A. P. Cracknell 203

Comparing accuracy assessments to infer superiority of image classification methods
J. de Leeuw, H. Jia, L. Yang, X. Liu, K. Schmidt and A. K. Skidmore 223

Satellite-derived ecosystems classification: image segmentation by ecological region for improved classification accuracy, a boreal case study
O. C. Jensen and G. A. Sánchez Azofeifa 233

A land-cover classification for landslide susceptibility mapping by using feature components
E. Yesilnacar and M. L. Süzen 253

An assessment of brightness temperature data quality of MSMR of IRS-P4 satellite
K. S. Rao, H. K. Al Jassar, P. S. Narvekar, N. B. Shardul, I. Sabbah and V. Daniel 277

Comparative evaluation of the sensitivity of multi-polarized multi-frequency SAR backscatter to plant density
P. Patel, H. Shanker Srivastava, S. Panigrahy and J. Singh Parihar 293

Effect of stability correction on remote sensing estimates of near-noon sensible heat flux of alfalfa and tall fescue grass
J. O. Payero, C. M. U. Neale and J. L. Wright 307

A model for the retrieval and monitoring of soil moisture over desert area of Kuwait
H. K. Al Jassar, K. S. Rao and I. Sabbah 329

Assessment of the potential of MERIS near-infrared water vapour products to correct ASAR interferometric measurements
Z. Li, J.-P. Muller, P. Cross, P. Albert, J. Fischer and R. Bennartz 349

Retrieval of ocean colour from high resolution multi-spectral imagery for monitoring highly dynamic ocean features
Y. H. Ahn, P. Shanmugam and J. E. Moon 367

Inverse estimation of multi-substance concentrations in coastal surface waters based on a four flux model
S. Miyazaki and K. Nadaoka 393

Variability of the Gulf Stream position and transport between 1992 and 1999: a re-analysis based on a data assimilation experiment
L. Berline, C.-E. Testut, P. Brasseur and J. Verron 417

A semi-automated line tracing technique for monitoring ice margins in Antarctic images
A. Collings, R. N. Williams, N. Young and G. Hyland 433

Book reviews 449

NUMBERS 3–4

Cover: On the nature of the South Tibetan Detachment Zone (STDZ), Kumaun Himalayas
R. P. Gupta, H. Fritz and A.-V. Bojar 455

Temporal scale and spatial resolution effects on Amazon forest fragmentation assessment in Rondônia
S. F. B. Ferraz, L. M. S. A. C. Capão and C. A. Vettorazzi 459

Sub-pixel mapping of rural land cover objects from fine spatial resolution satellite sensor imagery using super-resolution pixel-swapping
M. W. Thornton, P. M. Atkinson and D. A. Holland 473

Seasonal changes in the relationship between photochemical reflectance index and photosynthetic light use efficiency of Japanese larch needles
T. Nakaji, H. Oguma and Y. Fujinuma 493

Early prediction of crop production using drought indices at different time-scales and remote sensing data: application in the Ebro Valley (north-east Spain)
S. M. Vicente-Serrano, J. M. Cuadrat-Prats and A. Romo 511

SAR signature investigation of rice crop using RADARSAT data
I. Choudhury and M. Chakraborty 519

Patterns of irrigated rice growth and malaria vector breeding in Mali using multi-temporal ERS-2 synthetic aperture radar
M. A. Diuk-Wasser, G. Dolo, M. Bagayoko, N. Sogoba, M. B. Toure, M. Moghaddam, N. Manoukis, S. Rian, S. F. Traore and C. E. Taylor 535

Measuring wheat nitrogen status from space and ground-based platform
M. Reyniers and E. Vrindts 549

Near-noon albedo values of alfalfa and tall fescue grass derived from multispectral data
J. O. Payero, C. M. U. Neale and J. L. Wright 569

Multiscale fuel type mapping in fragmented ecosystems: preliminary results from hyperspectral MIVIS and multispectral Landsat TM data
R. Lasaponara, A. Lanorte and S. Pignatti 587

A study on the applicability of repeat-pass SAR interferometry for generating DEMs over several Indian test sites
K. S. Rao, H. K. Al-Jassar, S. Phalke, Y. S. Rao, J.-P. Muller and Z. Li 595

Multi-layer perceptron neural network based algorithm for estimating precipitable water vapour from MODIS NIR data
W. Wang, X. Sun, R. Zhang, Z. Li, Z. Zhu and H. Su 617

Technical Note. A method to obtain large quantities of reference data
S. Mannel, M. Price and D. Hua 623

Empirical correction of low Sun angle images in steeply sloping terrain: a slope-matching technique
J. Nichol, Law Kin Hang and Wong Man Sing 629

Field-scale Leaf Area Index estimation using IRS-1D LISS-III data
S. Chaurasia, B. K. Bhattacharya, V. K. Dadhwal and J. S. Parihar 637

Mapping burned areas in Mediterranean countries using spectral mixture analysis from a uni-temporal perspective
C. Quintano, A. Fernández-Manso, O. Fernández-Manso and Y. E. Shimabukuro 645

An accuracy assessment framework for large-area land cover classification products derived from medium-resolution satellite data
M. A. Wulder, S. E. Franklin, J. C. White, J. Linke and S. Magnussen 663

Radiometric correction effects in Landsat multi-date/multi-sensor change detection studies
L. Paolini, F. Grings, J. A. Sobrino, J. C. J. Muñoz and H. Karszenbaum 685

Fuzzy neural network architecture for change detection in remotely sensed imagery
H. Nemmour and Y. Chibani 705

Neural network application for cloud detection in SPOT VEGETATION images
J.-D. Jand, A. A. Viau, F. Anctil and E. Bartholomé 719

Predicting winter wheat condition, grain yield and protein content using multi-temporal EnviSat-ASAR and Landsat TM satellite images
L. Liu, J. Wang, Y. Bao, W. Huang, Z. Ma and C. Zhao 737

Multi-temporal analysis of MODIS data to classify sugarcane crop
A. C. Xavier, B. F. T. Rudorff, Y. E. Shimabukuro, L. M. S. Berka and M. A. Morelra 755

The influence of spectral resolution on discriminating Brazilian sugarcane varieties
L. S. Galvão, A. R. Formaggio and D. A. Tisot 769

Vehicle detection in 1-m resolution satellite and airborne imagery
G. Sharma, C. J. Merry, P. Goel and M. McCord 779

In-flight absolute calibration of the CBERS-2 IRMSS sensor data
F. J. Ponzoni, J. Zullo Junior and R. A. C. Lamparelli 799

Calibration of the Integral Equation Model for SAR data in C-band and HH and VV polarizations
N. Baghdadi, N. Holah and M. Zribi 805

Remote Sensing Letters
Comparison of PROSPECT and HPLC estimates of leaf chlorophyll contents in a grapevine stress study
L. J. Renzullo, A. L. Blanchfield, R. Guillermin, K. S. Powell and A. A. Held 817

M5 model tree for land cover classification
M. Pal 825

NUMBERS 5–6

Cover. Clouds over land in Envisat ASAR C-band image
P. V. Narasimha Rao and M. V. R. Sesha Sai 833

Spectral and spatial filtering for enhanced thematic change analysis of remotely sensed data
Björn G. Prenzel and Paul Treitz 835

DMSP/OLS night-time light imagery for urban population estimates in the Brazilian Amazon
S. Amaral, A. M. V. Monteiro, G. Camara and J. A. Quintanilha 855

Analysis of the vegetation trends using low resolution remote sensing data in Burkina Faso (1982–1999) for the monitoring of desertification
Y.-C. Hountondji, N. Sokpon and P. Ozer 871

Estimation of forest leaf area index from SPOT imagery using NDVI distribution over forest stands
H. Davi, K. Soudani, T. Deckx, E. Dufrene, V. Le Dantec and C. François 885

Fusion of multisensor multitemporal satellite data for land cover mapping
L. Zhu and R. Tateishi 903

Exploratory study of winter wheat reflectance during vegetative growth using three-mode component analysis
R. N. Jørgensen, P. M. Hansen and R. Bro 919

Ground based digital imagery for grassland biomass estimation
L. K. VanAmburg, M. J. Trlica, R. M. Hoffer and M. A. Weltz 939

Relationship between herbaceous biomass and 1-km^2 Advanced Very High Resolution Radiometer (AVHRR) NDVI in Kruger National Park, South Africa
K. J. Wessels, S. D. Prince, N. Zambatis, S. Macfadyen, P. E. Frost and D. Van Zyl .. 951

Calibration of dual-beam spectroradiometric data
K. Anderson, E. J. Milton and E. M. Rollin 975

Seasonal and interannual fluctuations of the Angola–Benguela Frontal Zone (ABFZ) using 4.5 km resolution satellite imagery from 1982 to 1999
J. A. Veitch, P. Florenchie and F. A. Shillington 987

Error sources on the land surface temperature retrieved from thermal infrared single channel remote sensing data
J. C. Jiménez-Muñoz and J. A. Sobrino 999

A novel approach for wide-swath and high-resolution SAR image generation from distributed small spaceborne SAR systems
Zhenfang Li and Zheng Bao 1015

Urban land cover multi-level region-based classification of VHR data by selecting relevant features
A. P. Carleer and E. Wolff 1035

A land cover map of southern hemisphere Africa based on SPOT-4 Vegetation data
A. I. R. Cabral, M. J. P. Vasconcelos, J. M. C. Pereira, E. Martins and É. Bartholomé 1053

An integrated evaluation of landscape change using remote sensing and landscape metrics: a case study of Panyu, Guangzhou
X. Yu and C. Ng 1075

Monitoring of irrigated wheat in a semi-arid climate using crop modelling and remote sensing data: Impact of satellite revisit time frequency
R. Hadria, B. Duchemin, A. Lahrouni, S. Khabba, S. Er-Raki, G. Dedieu, A. G. Chehbouni and A. Olioso 1093

Burned data time series for Tropical Africa (1981–2000) with the Daily Tile NOAA/NASA Pathfinder AVHRR 8-km Land dataset
J. A. Moreno-Ruiz, J. Barón-Martinez and J. Sagrado-Martínez 1119

Estimating aboveground tree biomass and leaf area index in a mountain birch forest using ASTER satellite data
J. Heiskanen 1135

The performance of a local maxima method for detecting individual tree tops in aerial photographs
I. Korpela, P. Anttila and J. Pitkänen 1159

Mapping the concentrations of total suspended matter in Lake Taihu, China, using Landsat-5 TM data
W. Zhou, S. Wang, Y. Zhou and A. Troy 1177

Altimeter observations of the MJO/ENSO connection through Kelvin waves
L. A. Edwards, R. E. Houseago-Stokes and P. Cipollini 1193

The positive temperature anomaly as detected by Landsat TM data in the eastern Marmara Sea (Turkey): possible link with the 1999 Izmit earthquake
M. T. Yürür 1205

Best band combination for landslide studies in temperate environments
M. F. Ramli and D. N. Petley 1219

Evaluating the potential of high-resolution airborne LiDAR data in glaciology
N. S. Arnold, W. G. Rees, B. J. Devereux and G. S. Amable 1233

Remote Sensing Letters

Estimation of incident solar radiation on the ground from multispectral satellite sensor imagery
C. Wloczyk and R. Richter 1253

Use of VEGETATION satellite imagery to map pasture quality for input to a methane budget of New Zealand
J. R. Dymond, J. D. Shepherd, H. Clark and A. Litherland 1261

Confidence in coincidence
F. Csillag, S. Kabos and T. K. Remmel 1269

NUMBERS 7–8

Cover. Operation Iraqi Freedom in MODIS collage
S. D. Miller, J. D. Hawkins, T. F. Lee, F. J. Turk and K. Richardson 1279

MODIS provides a satellite focus on Operation Iraqi Freedom
S. D. Miller, J. D. Hawkins, T. F. Lee, F. J. Turk, K. Richardson, A. P. Kuciauskas, J. Kent, R. Wade, C. E. Skupniewicz, J. Cornelius, J. O'Neal, P. Haggerty, K. Sprietzer, G. Legg, J. Henegar and B. Seaton 1285

The potential and challenge of remote sensing-based biomass estimation
D. Lu 1297

Integration of environmental variables with satellite images in regional scale vegetation classification
A. Domaç and M. L. Süzen 1329

Quantification of grassland properties: how it can benefit from geoinformatic technologies?
J. Gao 1351

A neural network integrated approach for rice crop monitoring
C. Chen and H. McNairn 1367

Discrimination of sugarcane varieties using Landsat 7 ETM+ spectral data
C. Fortes and J. A. M. Demattê 1395

A bootstrap procedure to select hyperspectral wavebands related to tannin content
J. G. Ferwerda, A. K. Skidmore and A. Stein 1413

Mutual information spectra for comparing categorical maps
T. K. Remmel and F. Csillag 1425

Spectral or spatial quality for fused satellite imagery? A trade-off solution using the wavelet *à trous* algorithm
M. Lillo-Saavedra and C. Gonzalo 1453

A new wavelet-based image fusion method for remotely sensed data
C. Yunhao, D. Lei, L. Jing, L. Xiaobing and S. Peijun 1465

Oceanic typhoon rainfall estimation using Advanced Microwave Sounding Unit-A data
C.-C. Li, M.-H. Chang and Y.-C. Chen 1477

Assessment of land-cover changes related to shrimp aquaculture using remote sensing data: a case study in the Giao Thuy District, Vietnam
M. Béland, K. Goïta, F. Bonn and T. T. H. Pham 1491

Study on optimization-based layered classification for separation of wetlands
Z. Lan and D. Zhang 1511

Remote sensing of the water quality of shallow lakes: A mixture modelling approach to quantifying phytoplankton in water characterized by high-suspended sediment
A. N. Tyler, E. Svab, T. Preston, M. Présing and W. A. Kovács 1521

Empirical and semi-analytical chlorophyll algorithms in the south-western Atlantic coastal region (25–40°S and 60–45°W)
V. M. T. Garcia, S. Signorini, C. A. E. Garcia and C. R. McClain 1539

Satellite chlorophyll retrievals with a bipartite artificial neural network model
F.-C. Su, C.-R. Ho, Q. Zheng, N.-J. Kuo and C.-T. Chen 1563

Satellite observations of the Pacific tropical instability wave characteristics and their interannual variability
L. Pezzi, A. Caltabiano and P. Challenor 1581

Identification of eddies from sea surface temperature maps with neural networks
M. Castellani 1601

Thermal-water stress index from satellite images
J.-D. Jang, A. A. Viau and F. Anctil 1619

Sensitivity of radar backscatter to desert surface roughness
M. B. Charlton and K. White 1641

Using characteristic spectral bands of OMIS1 imaging spectrometer to retrieve urban land surface temperature
S.-Y. Zhu, Q. Yin and D.-B. Kuang 1661

Automatic extraction of wind erosion obstacles by integration of GIS data, DSM and stereo images
Y. Zhang, C. Heipke, M. Butenuth and X. Hu 1677

Impact of dust aerosols on Earth–atmosphere clear-sky albedo and its short wave radiative forcing over African and Arabian regions
S. K. Satheesh, S. Deepshikha and J. Srinivasan 1691

Book review 1707

Remote Sensing Letters

Subsidence monitoring in Sarno urban area via multi-temporal DInSAR technique
L. Cascini, S. Ferlisi, G. Fornaro, R. Lanari, D. Peduto and G. Zeni 1709

Oblique striping removal in remote sensing imagery based on wavelet transform
J. Chen, H. Lin, Y. Shao and L. Yang 1717

Analysis of NOAA-AVHRR NDVI inter-annual variability for forest fire risk estimation
A. Gabban, J. San-Miguel-Ayanz, P. Barbosa and G. Libertà 1725

NUMBERS 9–10

Cover. Himalayas—the abode of snow—as seen from satellites
A. K. Saraf and S. Choudhury 1739

Angular distribution models anisotropic correction factors and sun glint: a sensitivity study
C. Bertrand, N. Clerbaux, A. Ipe, S. Dewitte and L. Gonzalez 1741

Correcting ocean colour reflectance for absorbing aerosols
V. Ransibrahmanakul and R. P. Stumpf 1759

Normalized radiance spectrum as a water exchange event diagnostic
G. S. Karabashev, M. A. Evdoshenko and S. V. Sheberstov 1775

Efficient forward modelling by matrix representation of sensor responses
P. Eriksson, M. Ekström, C. Melsheimer and S. A. Buehler 1793

Graph-based change detection in geographic information using VHR satellite images
S. Gautama, J. D'Haeyer and W. Philips 1809

Methods for fuzzy classification and accuracy assessment of historical aerial photographs for vegetation change analyses. Part II: Practical application
F. Okeke and A. Karnieli 1825

Stereo cloud-top height retrieval with ASTER and MISR
G. Seiz, R. Davies and A. Grün 1839

A complex study of Etna's volcanic plume from ground-based, *in situ* and space-borne observations
C. Zerefos, P. Nastos, D. Balis, A. Papayannis, A. Kelepertsis, E. Kannelopoulou, D. Nikolakis, C. Eleftheratos, W. Thomas and C. Varotsos 1855

Remote sensing the radionuclide contaminated Belarusian landscape: a potential for imaging spectrometry?
D. S. Boyd, J. A. Entwistle, A. G. Flowers, R. P. Armitage and P. C. Goldsmith 1865

Measurement of the left-lateral displacement of Ms 8.1 Kunlun earthquake on 14 November 2001 using Landsat-7 ETM+ imagery
J. G. Liu, P. J. Mason and J. Ma 1875

Long term landslide monitoring by ground-based synthetic aperture radar interferometer
L. Noferini, M. Pieraccini, D. Mecatti, G. Macaluso, G. Luzi and C. Atzeni 1893

Soil moisture estimation using multi-incidence and multi-polarization ASAR data
N. Baghdadi, N. Holah and M. Zribi 1907

Envisat multi-polarized ASAR data for flood mapping
J.-B. Henry, P. Chastanet, K. Fellah and Y.-L. Desnos 1921

Use of ASAR images to study the evolution of the *Prestige* oil spill off the Galician coast
J. M. T. Palenzuela, L. G. Vilas and M. S. Cuadrado 1931

Classification of a complex landscape using Dempster–Shafer theory of evidence
L. Cayuela, J. D. Golicher, J. S. Rey and J. M. R. Benayas 1951

Influence of solar zenith angles on observed trends in the NOAA/NASA 8-km Pathfinder normalized difference vegetation index over the African Sahel
J. Lindström, L. Eklundh, J. Holst and U. Holst 1973

Evaluation of supervised classification algorithms for identifying crops using airborne hyperspectral data
K. Oki, L. Shan, T. Saruwatari, T. Suhama and K. Omasa 1993

Land cover pattern optimization for local ecological security using remotely sensed data
Y. Chen, X. Li, P. Shi, A. Gong and W. Dou 2003

Remote Sensing Letters

Neural network training: Using untransformed or log-transformed training data for the inversion of ocean colour spectra?
S. Dransfeld, A. R. Tatnall, I. S. Robinson and C. D. Mobley 2011

Comments on the use of the Vegetation Health Index over Mongolia
A. Karnieli, M. Bayasgalan, Y. Bayarjargal, N. Agam, S. Khudulmur and C. J. Tucker 2017

The use of landscape pattern metrics in remote sensing image classification
R. C. Frohn 2025

The application of a ratio estimator to determine confidence limits on land use change mapping
R. G. Lathrop, Jr. 2033

Spectral indices for precise agriculture monitoring
O. Beeri and A. Peled 2039

Wavelet estimation of plant spatial patterns in multitemporal aerial photography
E. K. Strand, A. M. S. Smith, S. C. Bunting, L. A. Vierling, D. B. Hann and P. E. Gessler 2049

Multi-temporal remote sensing change detection based on independent component analysis
J. Zhong and R. Wang 2055

Coral spawn and bathymetric slicks in Synthetic Aperture Radar (SAR) data from the Timor Sea, north-west Australia
A. T. Jones, M. Thankappan, G. A. Logan, J. M. Kennard, C. J. Smith, A. K. Williams and G. M. Lawrence 2063

Combining vegetation index and remotely sensed temperature for estimation of soil moisture in China
J. Xin, G. Tian, Q. Liu and L. Chen 2071

An automatic atmospheric correction algorithm for visible/NIR imagery
R. Richter, D. Schläpfer and A. Müller 2077

Monogenic bandpass filters for the segmentation of urban zones in satellite sensor imagery
Y. D. Lira, J. L. Marroquín and A. Hernández 2087

Neotectonic activity in the Markanda and Bata river basins, Himachal Pradesh, NW Himalaya: A morphotectonic approach
N. S. Virdi, G. Philip and S. Bhattacharya 2093

Canopy observations on the hyperspectral properties of a community of tropical dry forest lianas and their host trees
G. A. Sánchez-Azofeifa and K. Castro-Esau 2101

NUMBER 11

Cover. Spatial and temporal remote sensing requirements for river monitoring
G. Priestnall and P. Aplin 2111

Preface
P. Aplin 2121

On scales and dynamics in observing the environment
P. Aplin 2123

Integrating hyperspectral imagery at different scales to estimate component surface temperatures
N. A. L. Archer and H. G. Jones 2141

Using LiDAR to compare forest height estimates from IKONOS and Landsat ETM+ data in Sitka spruce plantation forests
D. N. M. Donoghue and P. J. Watt 2161

Artificial neural networks for mapping regional-scale upland vegetation from high spatial resolution imagery
H. Mills, M. E. J. Cutler and D. Fairbairn 2177

Dynamics of ENSO drought events on Sabah rainforests observed by NOAA AVHRR
D. S. Boyd, G. M. Foody and P. C. Phipps 2197

Spatial and temporal scale issues in determining biomass burning regimes in Bolivia and Peru
A. V. Bradley and A. C. Millington 2221

Monitoring change in the spatial heterogeneity of vegetation cover in an African savanna
A. Murwira and A. K. Skidmore 2255

Localized soft classification for super-resolution mapping of the shoreline
A. M. Muslim, G. M. Foody and P. M. Atkinson 2271

SeaWiFS discrimination of harmful algal bloom evolution
P. I. Miller, J. D. Shutler, G. F. Moore and S. B. Groom 2287

Monitoring the maximum turbidity zone and detecting fine-scale turbidity features in the Gironde estuary using high spatial resolution satellite sensor (SPOT HRV, Landsat ETM+) data
D. Doxaran, P. Castaing and S. J. Lavender 2303

NUMBERS 12–14

Cover. Seasonal climatology of aerosol optical depth over the Indian subcontinent: trend and departures in recent years
A. K. Prasad, R. P. Singh and A. Singh 2323

Advances in ground-based microwave interferometry for landslide survey: a case study
G. Luzi, M. Pieraccini, D. Mecatti, L. Noferini, G. Macaluso, A. Galgaro and C. Atzeni 2331

Space-borne and ground-based SAR interferometry as tools for landslide hazard management in civil protection
A. Corsini, P. Farina, G. Antonello, M. Barbieri, N. Casagli, F. Coren, L. Guerri, F. Ronchetti, P. Sterzai and D. Tarchi 2351

Study of tectonics in relation to the seismic activity of the Dalvat area, Nasik District, Maharashtra, India using remote sensing and GIS techniques
J. Sarup, M. Muthukumaran, N. Mathur and V. Peshwa 2371

Facies discrimination in laterites using Landsat Thematic Mapper, ASTER and ALI data—examples from Eritrea and Arabia
M. E. Andrews Deller 2389

Development of topsoil grain size index for monitoring desertification in arid land using remote sensing
J. Xiao, Y. Shen, R. Tateishi and W. Bayaer 2411

Local variability based sampling for mapping a soil erosion cover factor by co-simulation with Landsat TM images
A. B. Anderson, G. Wang and G. Gertner 2423

Algorithm to monitor snow cover using AWiFS data of RESOURCESAT-1 for the Himalayan region
A. V. Kulkarni, S. K. Singh, P. Mathur and V. D. Mishra 2449

Fluctuations of Terra Nova Bay polynya as observed by active (ASAR) and passive (AMSR-E) microwave radiometers
F. Parmiggiani 2459

Comparison of methods for melt detection over Greenland using active and passive microwave measurements
I. S. Ashcraft and D. G. Long 2469

Sea and lake surface temperature retrieval from Landsat thermal data in Northern Germany
C. Wloczyk, R. Richter, E. Borg and W. Neubert 2489

Nearshore sea temperature variability off Rottnest Island (Western Australia) derived from satellite data
A. Pearce, F. Faskel and G. Hyndes 2503

Monthly averages of sea surface temperature
P. F. Pellegrini, M. Bucci, M. Tommasini and M. Innocenti 2519

Derivation of land surface temperatures from MODIS data using the general split-window technique
C. O. Mito, G. Laneve, M. M. Castronuovo and C. Ulivieri 2541

Remote sensing of water levels on floodplains: a spatial approach guided by hydraulic functioning
D. Raclot 2553

Comparative assessment of image enhancement techniques for mapping of groundwater-rich alluvial fill zones of western Cuddapah District, Andhra Pradesh, India
A. P. Mukherjee and D. M. Banerjee 2575

Incorporating soil texture in soil moisture estimation from extended low-1 beam mode RADARSAT-1 SAR data
H. S. Srivastava, P. Patel and R. R. Navalgund 2587

A method for estimating the spatial distribution of soil moisture of arid microenvironments by close range thermal infrared imaging
I. Katra, D. G. Blumberg, H. Lavee and P. Sarah 2599

How Earth remote sensing from the International Space Station complements current satellite-based sensors
J. Gebelein and D. Eppler 2613

Mapping a specific class for priority habitats monitoring from satellite sensor data
D. S. Boyd, C. Sanchez-Hernandez and G. M. Foody 2631

Urban vegetation mapping using sub-pixel analysis and expert system rules: A critical approach
S. W. Myint 2645

A remote sensing approach to establish relationships among different land covers at the micro level
S. Jain and R. K. Jain 2667

A divergence operator to quantify texture from multi-spectral satellite images
J. Lira and A. Rodriguez 2683

Land use/cover classification of arid and semi-arid Mediterranean landscapes using Landsat ETM
M. A. Alrababah and M. N. Alhamad 2703

Evaluation of AVHRR PAL and GIMMS 10-day composite NDVI time series products using SPOT-4 vegetation data for the African continent
R. Fensholt, T. T. Nielsen and S. Stisen 2719

The use of high resolution digital camera imagery to characterize the distribution of *Pteronia incana* invader species in Ngqushwa (formerly Peddie) District, Eastern Cape, South Africa
V. Kakembo, A. Palmer and K. Rowntree 2735

The radiance contrast of forest-to-clearcut edges on a medium resolution Landsat Enhanced Thematic Mapper satellite winter image
J. Liira, K. Püssa and U. Peterson 2753

Evaluation and accuracy assessment of high-resolution IFSAR DEMs in low-relief areas
P. A. Mercuri, B. A. Engel and C. J. Johannsen 2767

Validating three infrared-based rainfall retrieval algorithms for intense convective activity over Greece
H. Feidas 2787

Influence of land surface effects on MODIS aerosol retrieval using the BAER method over Korea
K. H. Lee, Y. J. Kim, W. von Hoyningen-Huene and J. P. Burrow 2813

A new method to determine near surface air temperature from satellite observations
R. Singh, P. C. Joshi and C. M. Kishtawal 2831

Cloud base heights retrieved during night-time conditions with MODIS data
K. Hutchison, E. Wong and S. C. Ou 2847

Error-corrected output coding-based class decomposition approach for remote sensing classification
M. Pal 2863

Support vector machine-based feature selection for land cover classification: a case study with DAIS hyperspectral data
M. Pal 2877

Some issues in the classification of DAIS hyperspectral data
M. Pal and P. M. Mather 2895

Salinity appraisal using IRS images in Shorapur Taluka, Upper Krishna Irrigation Project, Phase I, Gulbarga District, Karnataka, India
M. Sethi, G. S. Dasog, A. van Lieshout and S. B. Salimath 2917

Sensitivity of landscape metrics to classification scheme
C. Huang, E. L. Geiger and J. A. Kupfer 2927

Incorporating domain knowledge and spatial relationships into land cover classifications: a rule-based approach
A. E. Daniels 2949

A technique for generating natural colour images from false colour composite images
S. K. Patra, M. Shekher, S. S. Solanki, R. Ramachandran and R. Krishnan 2977

Filtering method for SAR interferograms with strong noise
Z. W. Li, X. L. Ding, C. Huang, D. W. Zheng, W. B. Zou and Y. K. Shea 2991

The Line-Based Transformation Model (LBTM) for image-to-image registration of high-resolution satellite image data
W. Shi and A. Shaker 3001

Combining fuzzy theory and a genetic algorithm for satellite image edge detection
A. Jubai, B. Jing and J. Yang 3013

Remote Sensing Letters

Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery
H. Xu 3025

Parameter selection for region-growing image segmentation algorithms using spatial autocorrelation
G. M. Espindola, G. Camara, I. A. Reis, L. S. Bins and A. M. Monteiro 3035

Land cover classification based on tolerant rough set
Y. Ouyang and J. Ma 3041

Fire detection in imaging spectrometer data using atmospheric carbon dioxide absorption
P. E. Dennison 3049

An experimental study on the spectral characteristics of one year-old sea ice in the Bohai Sea, China
F. Xie, W. Gu, S. Ha, W. J. Cui, W. B. Chen, C. G. Zhou, S. Q. Huang and Z. Liu 3057

TRMM derived sea surface temperature in the wake of a cyclonic storm over the central Bay of Bengal
B. Jena, M. V. Rao and B. K. Sahu 3065

Scene selection and the use of NASA's global orthorectified Landsat dataset for land cover and land use change monitoring
A. J. Tatem, A. Nayar and S. I. Hay 3073

A method for minimising of low frequency and unwrapping artefacts from interferometric calculations
P. Elias, C. Kontoes, O. Sykioti, A. Avallone, S. van Gorp, P. Briole and D. Paradissis 3079

Fire-induced variability in satellite SPOT-VGT NDVI vegetational data
L. Telesca and R. Lasaponara 3087

NUMBERS 15–16

Technical Note and Cover. Radiometric correction in laser scanning
F. Coren and P. Sterzai 3097

Comparison of space borne radar altimetry and airborne laser altimetry over sea ice in the Fram Strait
K. A. Giles and S. M. Hvidegaard 3105

Influence of eddies on the migratory routes of the sea turtles in the Bay of Bengal
S. K. Sasamal and R. C. Panigraphy 3115

Inter-comparison of NOAA-AVHRR and IRS-P4 (MSMR) derived sea surface temperatures
B. Jena, S. K. Sasmal, M. V. Rao and M. M. Ali 3123

Influence of SST on catches of swordfish and tuna in the Portuguese domestic longline fishery
A. M. P. Santos, A. F. G. Fiúza and R. M. Laurs 3131

A water index for rapid mapping of shoreline changes of five East African Rift Valley lakes: an empirical analysis using Landsat TM and ETM+ data
Y. O. Ouma and R. Tateishi 3153

Temporal influences on Landsat-5 Thematic Mapper image in visible band
Y. Liu, T. Hiyama, R. Kimura and Y. Yamaguchi 3183

Assessing vegetation condition in the presence of biomass burning smoke by applying the Aerosol-free Vegetation Index (AFRI) on MODIS images
E. Ben-Ze'ev, A. Karnieli, N. Agam, Y. Kaufman and B. Holben 3203

Spatial agreement between two land-cover data sets stratified by agricultural eco-regions
P. Y. Chen, M. D. Luzio and J. G. Arnold 3223

The first detailed land-cover map of Socotra Island by Landsat/ETM+ data
K. Král and J. Pavliš 3239

Separating grassland and shrub vegetation by multidate pixel-adaptive spectral mixture analysis
T. Kuemmerle, A. Röder and J. Hill 3251

PAN-sharpening of very high resolution multispectral images using genetic algorithms
A. Garzelli and F. Nencini 3273

A sub-pixel mapping algorithm based on sub-pixel/pixel spatial attraction models
K. C. Mertens, B. De Baets, L. P. C. Verbeke and R. R. De Wulf 3293

Influence of image fusion approaches on classification accuracy: a case study
R. R. Colditz, T. Wehrmann, M. Bachmann, K. Steinnocher, M. Schmidt, G. Strunz and S. Dech 3311

A patch-based image classification by integrating hyperspectral data with GIS
B. Zhang, X. Jia, Z. Chen and Q. Tong 3337

The application of remote sensing technology in the archaeological study of the Mausoleum of Emperor Qinshihuang
K. Tan, Y. Wan, X. Zhou, D. Song and Q. Duan 3347

On the temporal stability of ground calibration targets: implications for the reproducibility of remote sensing methodologies
K. Anderson and E. J. Milton 3365

Improving satellite images classification using remote and ground data integration by means of stochastic simulation
J. Carvalho, A. Soares and A. Bio 3375

Principal component analysis with optimum order sample correlation coefficient for image enhancement
Q. Cheng, L. Jing and A. Panahi 3387

Segment based image classification
J. Y. Lee and T. A. Warner 3403

Polarimetric SAR image classification by using generalized optimization of polarimetric contrast enhancement
J. Yang, T. Xiong and Y.-N. Peng 3413

Assessment of stand-wise stem volume retrieval in boreal forest from JERS-1 L-band SAR backscatter
M. Santoro, L. Eriksson, J. Askne and C. Schmullius 3425

Assessing spatio-temporal variations in plant phenology using Fourier analysis on NDVI time series: results from a dry savannah environment in Namibia
H. Wagenseil and C. Samimi 3455

Interannual variability of vegetation cover in the Chinese Heihe River Basin and its relation to meteorological parameters
M. Ma and F. Veroustraete 3473

Effect of spatial variation on areal evapotranspiration simulation in Haibei, Tibet plateau, China
Z. Li, G. Yu, Q. Li, Y. Fu and Y. Li 3487

Integrating remote sensing and spatial statistics to model herbaceous biomass distribution in a tropical savanna
O. Mutanga and D. Rugege 3499

Performance of change detection using remotely sensed data and evidential fusion: comparison of three cases of application
S. L. Hegarat-Mascle, R. Seltz, L. Hubert-Moy, S. Corgne and N. Stach 3515

Mesoscale cloud pattern classification over ocean with a neural network using a new index of cloud variability
D. Lafont, O. Jourdan and B. Guillemet 3533

Residential population estimation using a remote sensing derived impervious surface approach
D. Lu, Q. Weng and G. Li 3553

A high-level data fusion and spatial modelling system for change-detection analysis using high-resolution airborne digital sensor data
B. B. Madhavan, T. Sasagawa, K. Tachibana and K. K. Mishra 3571

Long-range persistence in global Aerosol Index dynamics
C. A. Varotsos, J. M. Ondov, A. P. Cracknell, M. N. Efstathiou and M.-N. Assimakopoulos 3593

Book Review 3605

Remote Sensing Letters
On the potential of QuickBird data for archaeological prospection
R. Lasaponara and N. Masini 3607

First algorithm for chlorophyll-*a* retrieval from MODIS-Terra imagery of Sun-induced fluorescence in the Southern Ocean
L. Fiorani, I. G. Okladnikov and A. Palucci 3615

NUMBER 17

Cover 3623

Preface
D. Maktav and G. Gutman 3625

Evaluating the impact of coastal land uses on water-clarity conditions from Landsat TM/ETM+ imagery: Candarli Bay, Aegean Sea
E. Ucuncuoglu, O. Arli and A. H. Eronat 3627

The use of multi-temporal Landsat images for the change detection of the coastal zone near Hurghada, Egypt
T. Vanderstraete, R. Goossens and T. K. Ghabour 3645

Field spectroscopy of estuarine intertidal habitats
R. M. Forster and B. Jesus 3657

Coastal geomorphological and land-use and land-cover study of Sagar Island, Bay of Bengal (India) using remotely sensed data
K. S. Jayappa, D. Mitra and A. K. Mishra 3671

History of land cover change and biogeochemical impacts in the Choptank River basin in the mid-Atlantic region of the US
T. R. Fisher, J. A. Benitez, K.-Y. Lee and A. J. Sutton 3683

An integrated modelling system for management of the Patuxent River estuary and basin, Maryland, USA
M. R. Williams, T. R. Fisher, W. R. Boynton, C. F. Cerco, M. W. Kemp, K. N. Eshleman, S-C. Kim, R. R. Hood, D. A. Fiscus and G. R. Radcliffe 3705

Analysis of a small agricultural watershed using remote sensing techniques
J. Tamás and C. Lénárt 3727

The use of optic and radar satellite data for coastal environments
Z. D. Uça, F. S. Erbek, L. Kuşak, F. Yaşa and G. Özden 3739

NUMBERS 18–20

Statement of retraction 3749

Cover 3751

Study of geophysical parameters associated with the Orissa super cyclone using active and passive microwave remote sensing measurements
A. K. Varma, S. Pokhrel, R. M. Gairola and V. K. Agarwal 3753

Wave modelling for the north Indian Ocean using MSMR analysed winds
P. Vethamony, K. Sudheesh, S. P. Rupali, M. T. Babu, S. Jayakumar, A. K. Saran, S. K. Basu, R. Kumar and A. Sarkar 3767

Evaluation of the Oceansat-1 Multi-frequency Scanning Microwave Radiometer and its potential for soil moisture retrieval
J. Wen, T. J. Jackson, R. Bindlish and Z. B. Su 3781

Discriminating urban environments using multiscale texture and multiple SAR images
F. Dell'acqua and P. Gamba 3797

Extraction of ground control points (GCPs) from synthetic aperture radar images and SRTM DEM
S.-H. Hong, H.-S. Jung and J.-S. Won 3813

Evaluation of radar backscatter models IEM, OH and Dubois using experimental observations
N. Baghdadi and M. Zribi 3831

Radio frequency interference at passive microwave earth observation frequencies
C. Kidd 3853

A new algorithm for forest fire detection method with statistical analysis using NOAA AVHRR images
K. A. Kalpoma and J. Kudoh 3867

Predicting slow-drying fire weather index fuel moisture codes with NOAA-AVHRR images in Canada's northern boreal forests
S. Oldford, B. Leblon, D. Maclean and M. Flannigan 3881

Development of a new over-water Advanced Very High Resolution Radiometer dust detection algorithm
A. T. Evan, A. K. Heidinger and M. J. Pavolonis 3903

An automatic system for AVHRR land surface product generation
J. C. D. M. Esquerdo, J. F. G. Antunes, D. G. Baldwin, W. J. Emery and J. Zullo Júnior 3925

On comparing multifractal and classical features in minimum distance classification of AVHRR imagery
T. Parrinello and R. A. Vaughan 3943

Visualization and unsupervised classification of changes in multispectral satellite imagery
M. J. Canty and A. A. Nielsen 3961

La transformation en ondelettes pour l'extraction de la texture-couleur. Application à la classification combinée des images (HRV) de SPOT
A. Safia, M. F. Belbachir and T. Iftene 3977

Satellite image classification using granular neural networks
D. Stathakis and A. Vasilakos 3991

Measurement of uncertainty by the entropy: application to the classification of MSS data
H. Dehghan and H. Ghassemian 4005

Segmentation and morphology of open water bodies from multispectral images
J. Lira 4015

Comparison of pixel-based and object-oriented image classification approaches—a case study in a coal fire area, Wuda, Inner Mongolia, China
G. Yan, J.-F. Mas, B. H. P. Maathuis. Z. Xiangmin and P. M. Van Dijk 4039

ASTER and Landsat ETM+ images applied to sugarcane yield forecast
T. I. R. Almeida, C. R. De Souza Filho and R. Rossetto 4057

Remote sensing of regional yield assessment of wheat in Haryana, India
N. R. Patel, B. Bhattacharjee, A. J. Mohammed, B. Tanupriya and S. K. Saha 4071

Assessment of MODIS LAI retrievals over soybean crop in Southern Brazil
R. Rizzi, B. F. T. Rudorff, Y. E. Shimabukuro and P. C. Doraiswamy 4091

Scatterometer performance with polarization discrimination ratio approach to retrieve crop soybean parameter at X-band
D. Singh 4101

Crop and land cover classification in Iran using Landsat 7 imagery
M. Akbari, A. R. Mamanpoush, A. Gieske, M. Miranzadeh, M. Torabi and H. R. Salemi 4117

Evaluating temporal variability in the spectral reflectance response of annual ryegrass to changes in nitrogen applications and leaching fractions
M. Baghzouz, D. A. Devitt and R. L. Morris 4137

A linear model to predict with a multi-spectral radiometer the amount of nitrogen in winter wheat
M. Reyniers, D. J. J. Walvoort and J. De Baardemaaker 4159

Near-field fluorescence measurements for nutrient deficiencies detection on potatoes (*Solanum tuberosum* L.): effects of the angle of view
M.-C. Bélanger, A. A. Viau, G. Samson and M. Chamberland 4181

Temporal and spatial soil moisture change pattern detection in an agricultural area using multi-temporal Radarsat ScanSAR data
H. Yang, J. Shi, Z. Li and H. Guo 4199

Development of spectral band cloning techniques for soil nutrients estimation
D. Kassahun, N. K. Tripathi and K. Honda 4213

Developing land use/land cover parameterization for climate–land modelling in East Africa
N. Torbick, D. Lusch, J. Qi, N. Moore, J. Olson and J. Ge 4227

Irrigated area mapping in heterogeneous landscapes with MODIS time series, ground truth and census data, Krishna Basin, India
T. W. Biggs, P. S. Thenkabail, M. K. Gumma, C. A. Scott, G. R. Parthasaradhi and H. N. Turral 4245

Estimation of chlorophyll-*a* concentration in Lake Tai, China using *in situ* hyperspectral data
H. B. Jiao, Y. Zha, J. Gao, Y. M. Li, Y. C. Wei and J. Z. Huang 4267

Absorption and scattering properties of water body in Taihu Lake, China: absorption
R. Ma, J. Tang, J. Dai, Y. Zhang and Q. Song 4277

Bio-optical model with optimal parameter suitable for Taihu Lake in water colour remote sensing
R. Ma, J. Tang and J. Dai 4305

Suspended sediment concentrations in the Yangtze River estuary retrieved from the CMODIS data
Z. Han, Y.-Q. Jin and C.-X. Yun 4329

Technical note. Uncertainty analysis of *EQeau*, a remote sensing based model for snow water equivalent estimation
K. Chokmani, M. Bernier and Y. Gauthier 4337

Monitoring snowmelt across the Arctic forest–tundra ecotone using Synthetic Aperture Radar
A. M. Dean, I. A. Brown, B. Huntley and C. J. Thomas 4347

Monitoring glacier elevation and volume changes with digital photogrammetry and GIS at Gepatschferner glacier, Austria
A. Keutterling and A. Thomas 4371

Remote sensing observations of pre-earthquake thermal anomalies in Iran
S. Choudhury, S. Dasgupta, A. K. Saraf and S. Panda 4381

Review article. Remote sensing and active tectonics of South India
S. M. Ramasamy 4397

Satellite radar and optical remote sensing for earthquake damage detection: results from different case studies
S. Stramondo, C. Bignami, M. Chini, N. Pierdicca and A. Tertulliani 4433

Mapping damage in the Jammu and Kashmir caused by 8 October 2005 M_w 7.3 earthquake from the Cartosat-1 and Resourcesat-1 imagery
K. V. Kumar, T. R. Martha and P. S. Roy 4449

Co-seismic ruptures found up to 60 km south of the Kunlun fault after 14 November 2001, Ms 8.1, Kokoxili earthquake using Landsat-7 ETM+ imagery
J. G. Liu and C. E. Haselwimmer 4461

Comparison between remote sensed lineaments and geological structures in intensively cultivated hills (Monferrato and Langhe domains, NW Italy)
M. Morelli and F. Piana 4471

New strike-slip faults and litho-units mapped in Chitral (N. Pakistan) using field and ASTER data yield regionally significant results
S. D. Khan and N. F. Glenn 4495

Extraction of linear and anomalous features using ERS SAR data over Singhbhum Shear Zone, Jharkhand using fast Fourier transform
S. K. Pal, T. J. Majumdar and A. K. Bhattacharya 4513

Integration of Landsat imagery interpretation and geomagentic data on verification of deep-seated transverse fault lineaments in SE Zagros, Iran
A. Yassaghi 4529

Geomorphologic mapping from hyperspectral data, using Gaussian mixtures and lower confidence bounds
A. Koltunov, O. Crouvi and E. Ben-Dor 4545

Evaluation of the potential of various spectral indices and textural features derived from satellite images for surficial deposits mapping
L. Coulibaly and K. Goïta 4567

Identifying erosion areas at basin scale using remote sensing data and GIS: a case study in a geologically complex mountain basin in the Spanish Pyrenees
S. Beguería 4585

Groundwater assessment through an integrated approach using remote sensing, GIS and resistivity techniques: a case study from a hard rock terrain
P. K. Srivastava and A. K. Bhattacharya 4599

The impact of assimilation of AMSU data for the prediction of a tropical cyclone over India using a mesoscale model
S. Sandeep, A. Chandrasekar and D. Singh 4621

The impact of assimilation of MODIS data for the prediction of a tropical low-pressure system over India using a mesoscale model
V. F. Xavier, A. Chandrasekar, R. Singh and B. Simon 4655

Remote Sensing Letters

Estimating photosynthetic light-use efficiency using the photochemical reflectance index: the effects of short-term exposure to elevated CO_2 and low temperature
J. M. Guo and C. M. Trotter 4677

Decadal variability in multitemporal satellite SPOT-VEGETATION NDII data
R. Lasaponara and L. Telesca 4685

Mapping monsoonal soil wetness regions from multi-temporal VEGETATION dataset
A. Chattopadhyay and S. Dutta 4693

Spatiotemporal modelling of methane flux from the rice fields of India using remote sensing and GIS
K. R. Manjunath, S. Panigrahy, K. Kumari, T. K. Adhya and J. S. Parihar 4701

NUMBERS 21–22

Technical note and Cover: Rapid imagery through kite aerial photography in a complex humanitarian emergency
B. A. Sklaver, A. Manangan, S. Bullard, A. Svanberg and T. Handzel 4709

Broadband vegetation index performance evaluated for a low-cover environment
W. M. Baugh and D. P. Groeneveld 4715

Estimating area errors for fine-scale feature-based ecological mapping
E. C. Ellis and H. Wang 4731

Detecting greenhouse changes from QuickBird imagery on the Mediterranean coast
F. Agüera, M. A. Aguilar and F. J. Aguilar 4751

Conjoint analysis for quantification of relative importance of various factors affecting BPANN classification of urban environment
V. Pathak and O. Dikshit 4769

The effects of sensor spatial resolution and changing grain size on fragmentation indices in urban landscape
M. Zhu, N. Jiang, J. Li, J. Xu and Y. Fan 4791

Determination of soil attribute contents by means of reflected electromagnetic energy
A. M. Genú and J. A. M. Demattê 4807

SRTM vs ASTER elevation products. Comparison for two regions in Crete, Greece
K. G. Nikolakopoulos, E. K. Kamaratakis and N. Chrysoulakis 4819

Dambo mapping for environmental monitoring using Landsat TM and SAR imagery: Case study in the Zambian Copperbelt
D. Limpitlaw and R. Gens 4839

Inundated wetland dynamics over boreal regions from remote sensing: the use of Topex-Poseidon dual-frequency radar altimeter observations
F. Papa, C. Prigent, W. B. Rossow, B. Legresy and F. Remy 4847

Evaluation of a useful method to identify snow-covered areas under vegetation – comparisons among a newly proposed snow index, normalized difference snow index, and visible reflectance
Y. Shimamura, T. Izumi and H. Matsuyama 4867

The automatic alignment and mosaic of video frames from the variable interference filter imaging spectrometer
N. E. Kirby, A. P. Cracknell, J. G. C. Monk and J. A. Anderson 4885

Sensor-independent analysis method for hyperspectral data based on the pattern decomposition method
L. Zhang, S. Furumi, K. Muramatsu, N. Fujiwara, M. Daigo and L. Zhang 4899

A new method for debris flow detection using multi-temporal DEMs without ground control points
T. Zhang, M. Cen, G. Zhou and X. Wu 4911

The use of step-wise density slicing in classifying high-resolution panchromatic photographs
H. Hamandawana, F. Eckardt and S. Ringrose 4923

Bayesian Multi-net Classifier for classification of remote sensing data
Y. Ouyang, J. Ma and Q. Dai 4943

Review Article. Fractal analysis of remotely sensed images: A review of methods and applications
W. Sun, G. Xu, P. Gong and S. Liang 4963

A new process for the segmentation of high resolution remote sensing imagery
Z. Chen, Z. Zhao, P. Gong and B. Zeng 4991

Objective image quality measurement by local spatial-frequency wavelet analysis
G. Y. Luo 5003

Technical Note. Sensitivity of Landsat/IKONOS accuracy comparison to errors in photointerpreted reference data and variations in test point sets
S. Mann and K. D. Rothley 5027

Feature extraction in speckled imagery using dynamic B-spline deformable contours under the $\mathcal{G}^0$ model
J. Gambini, M. E. Mejail, J. Jacobo-Berlles and A. C. Frery 5037

A model for the estimation of the daily global sunshine duration from meteorological geostationary satellite data
H. M. Kandirmaz 5061

Remote Sensing Letters
Single-look classification accuracy for polarimetric SAR
G. Davidson, K. Ouchi, G. Saito, N. Ishitsuka, K. Mohri and S. Uratsuka 5073

Estimation of sea surface temperature from SEVIRI data: algorithm testing and comparison with AVHRR products
M. Romaguera, J. A. Sobrino and F.-S. Olesen 5081

Island mass effect around the Maldives during the winter months of 2003 and 2004
S. K. Sasamal 5087

On the suitability of the use of normalized difference vegetation index for forest fire risk assessment
A. Gabban, J. San-Miguel-Ayanz and D. X. Viegas 5095

Soil line transformation based relative radiometric normalization
R. Jaishanker, A. V. Thomaskutty, T. Senthivel and V. N. Sridhar 5103

Relationship between light use efficiency and photochemical reflectance index in soybean leaves as affected by soil water content
Y. Inoue and J. Peñuelas 5109

Broad-scale increase in NPP quantified for the African Sahel, 1982-1999
J. W. Seaquist, L. Olsson, J. Ardö and L. Eklundh 5115

Errata 5123

NUMBERS 23–24

Cover: Twenty thousand leagues *over* the seas: the first satellite perspective on bioluminescent 'milky seas' 5129

Twenty thousand leagues *over* the seas: the first satellite perspective on bioluminescent 'milky seas'
S. D. Miller, S. H. D. Haddock, C. D. Elvidge and T. F. Lee 5131

A comparison of algorithms for Near-Real Time water vapour retrieval from MODIS
B. K. McAtee and S. W. Maier 5145

Satellite-based precipitation estimation using watershed segmentation and growing hierarchical self-organizing map
Y. Hong, Y.-M. Chiang, Y. Liu, K.-L. Hsu and S. Sorooshian 5165

Spatial patterns of the NDVI–rainfall relationship at the seasonal and interannual time scales in an African savanna
S. Chamaille-Jammes, H. Fritz and F. Murindagomo 5185

Compared regimes of NDVI and rainfall in semi-arid regions of Africa
N. Martiny, P. Camberlin, Y. Richard and N. Philippon 5201

Modelling rainfall intensity from NOAA AVHRR data for operational flood forecasting in Malaysia
L. Billa, S. Mansor, A. R. Mahmud and A. H. Ghazali 5225

An object-oriented methodology to detect oil spills
V. Karathanassi, K. Topouzelis, P. Pavlakis and D. Rokos 5235

Delineating lakes and enclosed islands in satellite imagery by geodesic active contour model
C. Shen, J. Fan, L. Pi and F. Li 5253

Applications of Landsat-5 TM imagery in assessing and mapping water quality in Reelfoot Lake, Tennessee
F. Wang, L. Han, H.-T. Kung and R. B. Van Arsdale 5269

Reformation time for the thermal skin layer of the ocean
M. R. Mobasheri 5285

Effect of May 2003 tropical cyclone on physical and biological processes in the Bay of Bengal
A. Smitha, K. H. Rao and D. Sengupta 5301

Applicability of the PROSPECT model for Norway spruce needles
Z. Malenovský, J. Albrechtová, Z. Lhotáková, R. Zurita-Milla, J. G. P. W. Clevers, M. E. Schaepman and P. Cudlín 5315

Use of a super-resolution method in interpretation of forests from multiple NOAA/AVHRR images
P. Packalén, T. Tokola, J. Saastamoinen and M. Maltamo 5341

Evaluating the fraction of vegetation cover based on NDVI spatial scale correction model
X. Zhang, G. Yan, Q. Li, Z.-L. Li, H. Wan and Z. Guo 5359

Evaluation of hyperspectral indices for LAI estimation and discrimination of potato crop under different irrigation treatments
S. S. Ray, G. Das, J. P. Singh and S. Panigrahy 5373

Book Reviews 5389

Remote Sensing Letters

Relating photosynthesis of biological soil crusts with reflectance: preliminary assessment based on a hydration experiment
H. Yamano, J. Chen, Y. Zhang and M. Tamura 5393

Classification of multi-spectral remote sensing data using a local transfer function classifier
Y. Ouyang and J. Ma 5401

Forest biomass estimation through NDVI composites. The role of remotely sensed data to assess Spanish forests as carbon sinks
F. González-Alonso, S. Merino-De-Miguel, A. Roldán-Zamarrón, S. García-Gigorro and J. M. Cuevas 5409

A semi-empirical backscattering model for estimation of leaf area index (LAI) of rice in southern China
J. Chen, H. Lin, A. Liu, Y. Shao and L. Yang 5417

Improving edge detection and watershed segmentation with anisotropic diffusion and morphological levellings
K. Karantzalos and D. Argialas 5427

A pixel-based method to estimate urban compactness and its preliminary application
J. Zhang and Y. Wang 5435

Index of authors for volume 27 5448

Index of contents for volume 27 5476